

Queensland
**REEF WATER
QUALITY**
Program



Reef protection regulations
Farming in Reef catchments

Fertiliser placement guide

Version 2

(Agricultural environmentally relevant activity standard
for sugarcane cultivation)

Prepared by:

Office of the Great Barrier Reef, Environmental Policy and Programs, Department of Environment and Science

© State of Queensland, 2022

The Queensland Government supports and encourages the dissemination and exchange of its information. The copyright in this publication is licensed under a Creative Commons Attribution 4.0 Australia (CC BY) licence.



Under this licence you are free, without having to seek our permission, to use this publication in accordance with the licence terms.

You must keep intact the copyright notice and attribute the State of Queensland as the source of the publication.

For more information on this licence, visit <https://creativecommons.org/licenses/by/4.0/>.

Disclaimer

This document has been prepared with all due diligence and care, based on the best available information at the time of publication. The department holds no responsibility for any errors or omissions within this document. Any decisions made by other parties based on this document are solely the responsibility of those parties. Information contained in this document is from a number of sources and, as such, does not necessarily represent government or departmental policy.

If you need to access this document in a language other than English, please call the Translating and Interpreting Service (TIS National) on 131 450 and ask them to telephone Library Services on +61 7 3170 5470.

This publication can be made available in an alternative format (e.g. large print or audiotape) on request for people with vision impairment; phone +61 7 3170 5470 or email library@des.qld.gov.au.

Updated April 2022

STANDARD CONDITIONS 1 and 2: PLACEMENT OF FERTILISER

Under the Reef protection regulations, the following standard conditions for fertiliser application must be implemented as part of the Agricultural Environmentally Relevant Activity (ERA) standard for sugarcane cultivation – version 2:

Standard condition 1

Ground-based broadcast application of fertiliser containing nitrogen must not occur on the agricultural property.

Standard condition 2

Ground-based broadcast application of fertiliser containing phosphorus (and not nitrogen) must not occur on the agricultural property unless:

- a) in preparation for the impending establishment of a plant crop; and
- b) the fertiliser is incorporated into the soil within three days of application.

Contents

Glossary	4
Introduction	5
Purpose of this guide	7
Regulations timeframe for commercial sugarcane growing	7
What do I need to do?	7
Applying fertiliser containing nitrogen	7
Applying fertiliser containing phosphorus.....	8
What if I cannot access my paddocks to apply fertiliser?	8
How do I apply soil conditioners?	8
What should I avoid?	8
Contacts	9

Glossary

Activity: The environmentally relevant activity (ERA) to which this Agricultural ERA standard applies.

Commercial: For the purposes of this guide, commercial is defined as undertaking the activity (sugarcane growing) for a fee or reward.

Great Barrier Reef catchment: Has the same meaning in the *Environmental Protection Act 1994*. The Great Barrier Reef catchment is the area shown on a map prescribed by regulation as the Great Barrier Reef catchment.

Surface banded application: Refers to fertiliser applied in bands along the crop rows on the soil surface. Surface banded application can take place on top of a green cane trash blanket.

Sub-surface application: Refers to fertiliser applied in a slot/s below the soil surface.

Top dressing: The second application of fertiliser after planting.

Variable rate technology: Refers to equipment that can apply fertiliser, chemicals, lime, gypsum, irrigation water and other farm inputs at different rates across a field, without manually changing rate settings on equipment or having to make multiple passes over an area.

Introduction

The *Environmental Protection Act 1994* requires **commercial** beef graziers, sugarcane growers, banana growers and horticulture and grain growers in the Wet Tropics, Burdekin, Mackay Whitsunday, Fitzroy and Burnett Mary regions of the **Great Barrier Reef catchment** to comply with commodity-specific minimum practice agricultural standards under the Reef protection regulations.

The purpose of the Reef protection regulations is to protect the health of the Great Barrier Reef by reducing pollutant run-off (nutrients, sediment and pesticides) in waterways that flow to the Reef.

The regulated minimum practice agricultural standards are based on the best available science and agricultural industry expertise to deliver significant water quality benefits for the Reef while driving better land management practices for profitable and productive farming.

The correct placement of fertiliser plays a critical role in reducing fertiliser losses in run-off, to the air or through the soil profile. Restricting fertiliser application to the crop row or sub-surface minimises the chance of losses to the environment, and can result in more efficient uptake of fertiliser by the plant and an increase in profitability due to reduced wastage of fertiliser. Fertiliser placement in this guide focuses on nitrogen and phosphorus, two nutrients of environmental importance because of the risk they pose to water quality in Great Barrier Reef coastal and marine ecosystems.

The explanatory information in this document is to be used by growers, and others involved in providing advice on fertiliser application on agricultural properties.

The Great Barrier Reef catchment consists of Cape York, Wet Tropics, Burdekin, Mackay Whitsunday, Fitzroy and Burnett Mary natural resource management regions (Figure 1).

Producers in Cape York are not currently required to meet minimum practice agricultural standards as the region has met its Reef water quality targets (under the Reef 2050 Water Quality Improvement Plan 2017-2022).

You can find out if your property is in one of these regions by completing this [online form](http://www.qld.gov.au/ReefRegulations) available at www.qld.gov.au/ReefRegulations.

The online form gives you the number of hectares of your Lot/s in each Reef catchment. If a Lot on plan (i.e. the boundaries of your property) crosses the outer boundary of the Great Barrier Reef catchment, the Lot is considered within the Reef catchment if more than 75 percent of the Lot, or more than 20,000 hectares of the Lot, is within the Reef catchment boundary. If a Lot is located across the boundary of two Reef regions, the Lot is taken to be in the region where more than 50 percent of the Lot is located.




Figure 1: The Great Barrier Reef stretches more than 2,300 kilometres along Queensland's coastline. It receives run-off from 35 catchments which are spread over six natural resource management regions.

Purpose of this guide

The purpose of this guide is to provide practical information to enable you to comply with the standard conditions for nitrogen and phosphorus fertiliser placement in accordance with the Agricultural Environmentally Relevant Activities (ERA) standard for sugarcane cultivation – version 2, under the *Environmental Protection Act 1994* by:

- outlining acceptable practices that can be used on sugarcane farms; and
- providing information on where to find help and further information.

This guide outlines minimum practice standards that you are required to use to meet the Reef protection regulations. You are not limited to these minimum practice standards, and higher standard practices are encouraged.

Regulations timeframe for commercial sugarcane growing

The Reef protection regulations apply to different regions at different times. Please refer to the table below for the timeframes for commercial sugarcane growing.

Commodity	Region	General record keeping requirements	Minimum practice agricultural standards
Sugarcane cultivation	Wet Tropics, Burdekin and Mackay Whitsunday	1 December 2019	1 December 2019
	Fitzroy and Burnett Mary	1 December 2019	1 December 2022
	All regions within the Great Barrier Reef catchment	From commencement of an environmental authority for ERA13A – Commercial cropping and horticulture in the Great Barrier Reef catchment – sugarcane cultivation	

What do I need to do?

Applying fertiliser containing nitrogen

To comply with the Reef protection regulations, you must apply any fertiliser containing nitrogen to the crop row only, by using **surface-banded** or **sub-surface application** methods (Figure 2). If you use sub-surface application it is best practice to close the slot to stop fertiliser losses to the air or in run-off. You must also record the method of application as part of the record keeping requirements.

The regulations apply to all fertiliser applications, including liquid and solid fertiliser products, split applications, **top dressing** and **variable rate technology**.




Figure 2: Diagram to indicate the area over which fertiliser must be applied.

Applying fertiliser containing phosphorus

To comply with the Reef protection regulations, ground-based broadcast application of fertiliser containing phosphorus only (but not nitrogen) must only occur in preparation of a plant crop being established, and when the fertiliser is incorporated into the soil within three (3) days of it being applied.

What if I cannot access my paddocks to apply fertiliser?

If you are unable to use existing machinery (for example after periods of extreme weather), you can use aerial broadcast application to apply fertiliser. It is recommended that you keep records relating to the reason for using aerial application.

Record keeping

To comply with the Reef regulations, you must keep a record of the method you used to apply fertiliser. The record must be made within three days of application, kept for at least six years and made available for inspection to an authorised person upon request.

How do I apply soil conditioners?

You may still use broadcast application methods for soil conditioners (also known as ameliorants or soil additives), including mill mud or mill mud/mill ash mixes. However, mill mud can only be broadcast across the entire paddock if it is incorporated into the soil during the fallow period. At all other times, mill mud must be banded.

What should I avoid?

Fertiliser containing nitrogen must not be applied to the furrow or inter-row space (see Figure 2) because of the greater chance of fertiliser losses, which pose a higher risk to water quality.

You should avoid applying fertiliser to your paddocks when heavy rainfall is forecast. You can monitor forecast rainfall by regularly checking the [Bureau of Meteorology](http://www.bom.gov.au) website (www.bom.gov.au) for your region.

Contacts

For further information and to seek advice, you can contact the following organisations:

Department of Environment and Science (DES)

☎ 13 QGOV (13 74 68)

✉ officeoftheGBR@des.qld.gov.au

www www.qld.gov.au/ReefRegulations

Department of Agriculture and Fisheries (DAF) extension officers can be contacted on:

☎ 13 25 23 (cost of a local call within Queensland), or 07 3403 6999

✉ callweb@daf.qld.gov.au

www www.daf.qld.gov.au/about-us/contact-us

Contact details for regional offices can be found here:

www www.daf.qld.gov.au/contact/offices

Sugar Research Australia extension staff can be contacted on:

☎ 07 3331 3333

✉ sra@sugarresearch.com.au

www www.sugarresearch.com.au/contact/

Regional offices are located in Meringa, Tully, Ingham, Burdekin, Mackay, and Bundaberg.

Natural Resource Management (NRM) groups

www www.nrmrq.org.au/find-your-regional-group

SmartCane BMP

☎ 07 3864 6444

✉ info@smartcane.com.au

www www.smartcane.com.au