

# Guide to State Development Assessment Provisions

## State code 16: Native vegetation clearing (Fodder harvesting)

March 2023

Version 3.00

This publication has been compiled by the Department of Resources.

© State of Queensland 2022

The Queensland Government supports and encourages the dissemination and exchange of its information. The copyright in this publication is licensed under a Creative Commons Attribution 4.0 International (CC BY 4.0) licence.

Under this licence you are free, without having to seek our permission, to use this publication in accordance with the licence terms.



You must keep intact the copyright notice and attribute the State of Queensland as the source of the publication.

Note: Some content in this publication may have different licence terms as indicated.

For more information on this licence, visit <https://creativecommons.org/licenses/by/4.0/>.

The information contained herein is subject to change without notice. The Queensland Government shall not be liable for technical or other errors or omissions contained herein. The reader/user accepts all risks and responsibility for losses, damages, costs and other consequences resulting directly or indirectly from using this information.

# Contents

State code 16: Native vegetation clearing .....	1
<b>Contents.....</b>	<b>3</b>
<b>Part 1: About this guide .....</b>	<b>5</b>
Vegetation management framework .....	5
Vegetation management mapping.....	6
Glossary of terms and common abbreviations used in this document .....	9
Key steps in the development assessment process.....	9
<b>Part 2: Assessment against the Performance Outcomes of the code .....</b>	<b>12</b>
Application of code.....	12
Table 16.1: Performance Outcomes relevant for each development type and clearing purpose .....	12
Table 16.2: General .....	14
Table 16.14: Fodder harvesting.....	16
Clearing associated with wetlands.....	16
Clearing associated with watercourses and drainage features .....	18
Soil erosion .....	20
Salinity .....	23
Essential habitat.....	23
Limits to clearing for fodder harvesting.....	25
Conserving vegetation .....	26
Cleared vegetation.....	30
Conserving the fodder resource .....	30
Duration of clearing, preventing land degradation, and maintaining biodiversity, ecological processes and regional ecosystems .....	32
<b>Appendix 2: Composition, structure and function of regional ecosystems.....</b>	<b>34</b>
Information resources to assist in assessment.....	36
Need more help? .....	37
<b>Appendix 3: Wetlands .....</b>	<b>38</b>
Information resources to assist in assessment.....	38
Need more help? .....	39
<b>Appendix 4: Watercourses and Drainage Features .....</b>	<b>41</b>
Information resources to assist in assessment.....	43
Need more help? .....	44

<b>Appendix 5: Essential habitat</b> .....	<b>45</b>
Koalas ( <i>Phascolarctos cinereus</i> ) .....	46
Information resources to assist in assessment.....	46
Need more help? .....	47
<b>Appendix 7: Salinity</b> .....	<b>48</b>
Addressing performance outcomes (POs) .....	49
Information resources to assist in assessment.....	51
Need more help? .....	52
<b>Appendix 8: Soil Erosion</b> .....	<b>53</b>
Information resources to assist in assessment.....	57
Need more help? .....	58
<b>Appendix 12: Better Environmental Outcomes</b> .....	<b>59</b>
Addressing Performance Outcomes (POs) .....	61
Information resources to assist in assessment.....	63
Need more help? .....	63
<b>Appendix 13: Significant Residual Impacts (SRIs) and Environmental Offsets</b> .....	<b>64</b>
Information resources to assist in assessment.....	67
Need more help? .....	67
<b>Appendix 14: Principles for calculating limits for Reference Table 1 of the code</b> .....	<b>68</b>
<b>Appendix 15: Measuring tree height and measuring slope</b> .....	<b>72</b>
Measuring tree height .....	72
Measuring slope.....	75


# Part 1: About this guide

The State Development Assessment Provisions (SDAP) provide assessment benchmarks for development applications involving the State Assessment and Referral Agency (SARA).


This guide has been developed to help prospective applicants and the broader community understand how a development application involving native vegetation clearing should address the requirements of the SDAP: State code 16 (the code).

This guide is not a statutory document and is not intended to be exhaustive. It provides supplementary information only and is designed to be read in conjunction with the code.

The SDAP, including the code, is available online at [www.qld.gov.au](http://www.qld.gov.au)—search ‘the [State Development Assessment Provisions](#)’ and then select ‘State code 16’.

 *It is recommended that you familiarise yourself with all local, state and federal laws that apply to developments involving vegetation clearing to ensure you are aware of any permits or approvals that are required under other legislation.*


*More complex development proposals may benefit from a free pre-lodgement service provided by SARA before lodging a development application. This will identify any potential issues or requirements for additional information.*

 *For more detailed information about the role of SARA and seeking pre-lodgement advice, visit <https://planning.statedevelopment.qld.gov.au/planning-framework/state-assessment-and-referral-agency>*

## Vegetation management framework

The *Vegetation Management Act 1999* (VMA), in conjunction with other legislation such as the *Planning Act 2016* and the *Environmental Offsets Act 2014*, regulates the clearing of native vegetation in mapped regional ecosystems. A development approval is required for clearing native vegetation that is not Exempt Clearing Work, or clearing carried out under an Accepted Development Vegetation Clearing Code or Area Management Plan.

The contents of the code and this guide are consistent with, and are to be read and applied in accordance with, the purposes of the [VMA](#) and the [State Policy for Vegetation Management](#), Department of Natural Resources Mines and Energy, June 2019.

 *For detailed on the vegetation management framework, including Exempt Clearing Work and Accepted Development Vegetation Clearing Codes, visit [www.qld.gov.au](http://www.qld.gov.au) and search ‘vegetation management’. For further information on the vegetation management framework, phone **135 VEG (135 834)** or email [vegetation@resources.qld.gov.au](mailto:vegetation@resources.qld.gov.au).*

## Vegetation management mapping

The code is used to assess developments that involve clearing, or could result in future clearing, of native vegetation in regulated regional ecosystems or areas shown on the Regulated Vegetation Management Map and associated supporting maps current as at the time of lodging the development application<sup>1</sup>.

To assist in planning your development and preparing your development application, it is recommended that you obtain a Vegetation Management Report (also known as a “Property Report”<sup>2</sup>). To obtain a Property Report, use the online request form at [www.qld.gov.au](http://www.qld.gov.au) (search for ‘vegetation management maps’). Alternatively, the layers can be viewed in or downloaded from <https://qldglobe.information.qld.gov.au>

The Property Report provides a suite of maps relevant to assessments under the code, including:

- Regulated Vegetation Management Map
- Vegetation Management Supporting Map which includes:
  - Regional ecosystem mapping<sup>3</sup>
  - Essential Habitat Map<sup>4</sup>
  - Vegetation Management Wetlands Map
  - Vegetation Management Watercourse and Drainage Feature Map

**TIP** *You will need a lot number and plan number to request a Property Report. These numbers can be obtained through QLD Globe by using the Parcel Label layer.*

The **Regulated Vegetation Management Map** show the different vegetation categories that are present on your land. This information will help you determine the type of approval you need for vegetation clearing. Therefore, it is useful to understand the types of vegetation in each category:

- Category A area—vegetation in an area that has been secured for a particular purpose or an area subject to particular requirements, for example, subject to a compliance notice, secured as an offset area or secured as a Declared Area (Voluntary)
- Category B area—remnant regional ecosystem
- Category C area—high-value regrowth vegetation
- Category R area—regrowth watercourse area
- Category X area—vegetation that is generally exempt from requirements under vegetation management framework dependent on the land tenure.

<sup>1</sup> Unless the *Planning Act 2016* provides otherwise.

<sup>2</sup> The Property Report may also include other related maps or information outside the vegetation management framework that may be of assistance e.g. protected plants flora survey trigger map under the *Nature Conservation Act 1992*. This information is supplementary information only and is not to be taken as advice on other laws that may apply to your proposed development. It is recommended that you familiarise yourself with all local, state and federal Acts and Regulations that apply to your proposed development.

<sup>3</sup> Referred to in the Queensland Spatial Catalogue and Queensland Globe as ‘Vegetation management regional ecosystem map’.

<sup>4</sup> Referred to in the Queensland Spatial Catalogue as ‘Vegetation management essential habitat map’.


The **Vegetation Management Supporting Map** includes regional ecosystem mapping that is colour-coded in accordance with the class of regional ecosystems prescribed under the vegetation management framework:

- Pink—Endangered regional ecosystem
- Orange—Of Concern regional ecosystem
- Green—Least Concern regional ecosystem.

Regional ecosystems are further categorised into **regional ecosystem structure categories** to indicate the expected density or composition of vegetation in its natural state. The five groups of vegetation structure categories are:

- dense
- mid-dense
- sparse
- very sparse
- grassland.

Queensland has been divided into 13 bioregions, each of which represents a broad landscape pattern that is the result of the interplay between factors including geology, climate and biota. Within each bioregion, there are a number of regional ecosystems that make up the diversity of landscapes across the region. As each bioregion is different in nature, the vegetation management requirements under the framework differ.



**Figure 1: Queensland bioregions**

Each identified area on regional ecosystem mapping is called a polygon. Each polygon is labelled with a **regional ecosystem number** (a three-number code) identifying the regional ecosystem:

- The first number indicates the bioregion in which the regional ecosystem is situated.
- The second number refers to the land zone in which the ecosystem occurs.
- The third number refers to the specific ecosystem and denotes vegetation type.

#### Example

In the regional ecosystem code **6.3.21**:

- 6** is the code for the Mulga Lands bioregion
- 3** indicates alluvial systems such as creeks, rivers and floodplains
- 21** indicates low woodlands of mulga on low alluvial sand dunes.

Most regional ecosystem maps show polygons with more than one regional ecosystem number. The order in which the regional ecosystems are listed reflects the relative size and extent of these different regional ecosystems on the ground. If you have areas mapped as more than one regional ecosystem, you may need to determine precisely where on the ground each regional ecosystem is located.

#### Example

A mixed polygon labelled **6.5.1/6.5.2, 70/30** contains approximately 70 per cent of regional ecosystem 6.5.1 and 30 per cent of regional ecosystem 6.5.2.



*A full description of each regional ecosystem is available on the Regional Ecosystem Description Database (REDD). Access or download the database at [www.qld.gov.au](http://www.qld.gov.au) (search for 'regional ecosystem description database').*

The **Essential Habitat Map** under the vegetation management framework shows the habitat of Endangered, Vulnerable or Near-Threatened wildlife (protected wildlife) prescribed under the *Nature Conservation Act 1992*. The mapping relies on information sourced by a number of different government and non-government agencies and experts. Essential habitat is mapped over areas of vegetation that are likely to contain either:

- three or more essential habitat factors<sup>5</sup>  
or
- the relevant species at any stage of its life cycle.

#### What if I think the vegetation on ground is different to the mapping?

If you think the Regulated Vegetation Management Map or regional ecosystem mapping for the development area is different from what is on ground, you may apply for a Property Map of Assessable Vegetation (PMAV). A PMAV is a property-scale map that shows the boundaries of vegetation categories on the property. An application for a PMAV must include sufficient information to demonstrate the proposed changes to the mapping should be made. Once the PMAV is made, it replaces the

---

<sup>5</sup> Biological and non-biological requirements of a species that are necessary or desirable for the wildlife at any stage of its life cycle, including vegetation community, altitude, soils, position in landscape, or regional ecosystem. Guide to State Development Assessment Provisions – State code 16: Native vegetation clearing, Department of Resources



Regulated Vegetation Management Map for determining the location and extent of the areas of vegetation regulated under the vegetation management framework on your property.

If applicable, it is recommended that you apply for and receive the PMAV before lodging your development application.

PMAVs can be used to:

- confirm the vegetation category areas as currently mapped; or
- amend the mapping (e.g. to refine a regional ecosystem or regional ecosystem boundary).



*For more detailed information about PMAVs and applying for a PMAV, visit [www.qld.gov.au](http://www.qld.gov.au) and search 'Property Map of Assessable Vegetation'*

## Glossary of terms and common abbreviations used in this document

Terms used in this guide have the same meaning as defined in the *Vegetation Management Act 1999* and the Glossary of Terms within the code.

Some common abbreviations used within the guide include the following:

AO = Acceptable outcome

Code = State Development Assessment Provisions, State code 16: Native Vegetation Clearing

MCU = Material Change of Use

PO = Performance outcome

PMAV = Property Map of Assessable Vegetation

RaL = Reconfiguring a Lot

REDD = Regional Ecosystem Description Database

SARA = State Assessment Referral Agency

SRI = Significant Residual Impact

SDAP = State Development Assessment Provisions

VMA = *Vegetation Management Act 1999*

## Key steps in the development assessment process

For an application proposing to undertake assessable development that requires assessment under the SDAP: State code 16, key steps in the process are as follows:

### 1. Determine location and extent of development footprint

It is important to ensure that you have determined all development and clearing areas to be assessed as part of the development application. This may include adding areas that could subsequently become Exempt Clearing Work as a result of the development approval—for example, adding areas to the development footprint for the firebreak exemption around infrastructure. See Appendix 1 'Avoid and Minimise' for further guidance on determining the development and clearing footprint including areas that will become exempt as a result of a MCU or RaL development application.

Details of the location and extent of the development and clearing footprint should be determined by providing:

- a. digital data in a format such as shapefile or .kml; or
- b. a map showing:
  - i. the boundary of the area on an image base; and
  - ii. 5 or more points visible in the image base that correspond to identifiable fixed features; and
  - iii. a description of the feature that each point represents; and
  - iv. the coordinates and zone references for each point, defined by reference to the geodetic reference framework prescribed for the [Survey and Mapping Infrastructure Act 2003, section 6\(4\)](#); or
- c. a description of the boundary of the area defined by reference to the geodetic reference framework prescribed for the [Survey and Mapping Infrastructure Act 2003, section 6\(4\)](#).

To facilitate prompt assessment, digital data is preferred.

## 2. Check mapping to determine the assessable clearing footprint for the application

Check the regulated maps and supporting maps to determine the assessable clearing areas for the development footprint. See guidance above 'Vegetation Management mapping'. This may include removing parts of the development footprint where the clearing is currently exempt under the VMA framework (e.g. clearing category X areas on freehold land) or accepted development (e.g. clearing under an Accepted Development Vegetation Clearing Code).

## 3. Seek pre-lodgement advice (optional)

You can arrange a pre-lodgement meeting with SARA before lodging the application. Understanding the precise location and extent of the development and clearing footprint to be assessed under a development application is vital to addressing the code. As such, it is recommended that you seek pre-lodgement advice from SARA if you have any uncertainty around the required development and clearing footprint to be assessed.



*A pre-lodgement meeting is strongly recommended to assist with understanding the requirements for technical assessment.*

*For more details on seeking pre-lodgement advice, visit <https://planning.statedevelopment.qld.gov.au/planning-framework/state-assessment-and-referral-agency>.*

## 4. Lodge Relevant Purpose determination application (if applicable)

When applying for a MCU and / or Operational Works development approval you must first obtain a Relevant Purpose determination from the Department of Resources before lodging a development application. This Relevant Purpose determination will confirm whether the proposal will result in the clearing of regulated vegetation and whether the clearing is for a relevant purpose permitted under section 22A of the VMA.

Clearing that is not for a relevant purpose is prohibited development under the *Planning Act 2016*, and a development application cannot be accepted to the extent it involves prohibited development.

For example, clearing in any category C areas or category R areas on the Regulated Vegetation Management Map is not a relevant purpose under the VMA. Accordingly, clearing of vegetation

in these areas cannot be approved under a development approval, and is prohibited development under the *Planning Act 2016* unless the clearing can be undertaken as Exempt Clearing Work or in accordance with an Accepted Development Vegetation Clearing Code.



*Contact the Department of Resources, Veg Hub on **135 VEG (135 834)** to discuss the purpose of your clearing and whether a Relevant Purpose determination is required.*



*For further information and to apply for a Relevant Purpose determination visit [www.qld.gov.au](http://www.qld.gov.au) and search 'Relevant Purpose determination'.*

## **5. Lodge Development Approval application**

Once the Relevant Purpose determination is approved, the development application can then be completed addressing all relevant assessment benchmarks under the *Planning Act 2016* framework. For vegetation management, this means assessing the proposed development against SDAP: State code 16 (the code). A response template for the assessment benchmarks for the code is available online at [www.qld.gov.au](http://www.qld.gov.au) (search 'State Development Assessment Provisions' and then select 'State code 16 response template').

A Development Approval application can be lodged with the relevant assessment manager. The relevant assessment manager is either local government or SARA.

If the assessment manager is SARA, you can apply online via [MyDAS2](http://MyDAS2) available at [www.qld.gov.au](http://www.qld.gov.au) (search 'Online planning services' and then select 'MyDAS2').

If the assessment manager is local government, local government will confirm whether the application will need to be referred to SARA (for one or more state interests).

## **6. Technical advice provided**

Once a development application is lodged and accepted by the Assessment Manager or Referral Agency, the Department of Resources provides technical agency advice for proposals involving the clearing of native vegetation, and works closely with the Assessment Manager / Referral Agency on whether an application complies with the code, including any potential offset requirements under the Queensland environmental offsets framework<sup>6</sup>.

## **7. Decision Notice issued**

If the proposal adequately addresses all relevant state codes, SARA either: issues a Decision Notice (with or without conditions) as Assessment Manager; or provides local government as the Assessment Manager, with a Referral Agency Response (recommending conditions be imposed where required to meet the assessment benchmarks under the relevant SDAP state codes).

**Note:** FastTrack5 referral and assessment process is also available for Operational Work development applications for Managing Thickened Vegetation. The FastTrack5 process allows for a reduced application fee, reduced assessment and decision-making time frames by SARA, and will not be subject to an information request. Standard conditions will generally be applied.



*For further information on the FastTrack5 assessment process, visit [www.qld.gov.au](http://www.qld.gov.au) and search 'FastTrack5'.*

---

<sup>6</sup> If there is insufficient information to assess the application, you may be requested to provide further information.

# Part 2: Assessment against the Performance Outcomes of the code

## Application of code

The complete version of SDAP (sections 1 to 4) provides guidance on the application and interpretation of the state codes, how they are used in assessment and how multiple state codes or matters of state interest are managed etc.

The Purpose Statement of the code provides the overall intent of the code, for example, environmental values / outcomes the code seeks to manage and / or protect. Development will comply with the code if it can be shown to meet the code's Purpose Statement.

Performance outcomes (POs) set the benchmarks for achieving the Purpose Statement of the code. Generally, your application must meet all of the POs relevant for your application. If the application does not meet one or more of these POs, those aspects of the application will then be assessed against the Purpose Statement of the code<sup>7</sup>.

Some POs may provide for an Acceptable Outcome (AO). AOs identify one way a PO can be met. An application that complies with all applicable AOs for a corresponding PO is considered to satisfy that PO.

In some cases there will be two corresponding POs for a particular environmental value / outcome whereby the first PO will provide for the assessment benchmark and the corresponding second PO will provide for rehabilitation and / or provision of an environmental offset. For example, PO5 and PO6 for wetlands. These corresponding POs are to be assessed in conjunction with each other. The assessment must address the first PO (eg PO5). If the proposal meets the first PO (eg PO5), then the second PO (eg PO6) is automatically met. If you have adequately demonstrated that the proposal cannot meet the first PO (eg PO5), only then can you address the second PO (eg PO6) and propose rehabilitation and / or an environmental offset (where relevant).

Where a development involves multiple development applications, thresholds considered under the code may be assessed having regard to **cumulative impacts** for any development approval applying to the premises<sup>8</sup>.

## Table 16.1: Performance Outcomes relevant for each development type and clearing purpose

The code groups together all the POs for each application type and clearing purpose into numbered tables. This guide likewise follows the same order as the code, providing guidance per table (i.e. per clearing purpose). Additional guidance for some aspects may be provided within an appendix<sup>9</sup>.

It is only necessary to provide a response to the POs relevant for the application type and clearing purpose/s. Table 16.1 of the code specifies which tables of POs are relevant for each application type and clearing purpose. Tables that are not relevant to your application type and clearing purpose can be left blank or deleted. For example, a development application for operational works that involves

<sup>7</sup> Refer to the complete version of SDAP (sections 1 to 4) for further information on assessments against the purpose statement.

<sup>8</sup> See section 22(3)(d) of the Planning Regulation 2017.

<sup>9</sup> A reference to an appendix is a reference to an appendix in this guide.

managing thickened vegetation, only Table 16.2 and Table 16.15 are relevant and therefore the remaining tables can be left blank or deleted.

## Table 16.2: General

Table 16.2 of the code provides for the POs addressing general requirements applying to all development application types except an application for a MCU and / or RaL where there is no clearing as a result of the development (see Table 16.1 of the code). An application for a MCU and / or RaL where there is no clearing as a result of the development need only address the POs in Table 16.9.

Given there are no AOs for the POs within Table 16.2 of the code, the application will need to address each PO directly.

### Performance outcome 1

See Appendix 12 'Better Environmental Outcomes' for guidance on identifying Notices of Compliance, meeting this PO and providing a Better Environmental Outcome.

To meet this PO the application will need to satisfy all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Demonstrate how the development meets one of the following:
  - a. No Notices Requiring Compliance apply to the proposed development or clearing footprint; or
  - b. One or more Notices Requiring Compliance apply to the proposed development or clearing footprint however:
    - i. the proposed development and clearing is consistent with the notice; or
    - ii. where the proposed development and clearing is not consistent with the notice, a Better Environmental Outcome is proposed to be achieved in accordance with the requirements and criteria in the code and Appendix 12 of this guide.

### Performance outcome 2

See Appendix 12 'Better Environmental Outcomes' for guidance on identifying Particular Regulated Areas, meeting this PO and providing a Better Environmental Outcome.

To meet this PO the application will need to satisfy all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Demonstrate how the development meets one of the following:
  - a. No Particular Regulated Areas apply to the proposed development or clearing footprint; or
  - b. One or more Particular Regulated Areas apply to the proposed development or clearing footprint however:
    - i. the proposed development and clearing is consistent with the vegetation management requirements for the Particular Regulated Area; or
    - ii. where the proposed development and clearing is not consistent with the vegetation management requirements for the Particular Regulated Area, a Better Environmental Outcome is proposed to be achieved in accordance with the requirements and criteria in the code and Appendix 12 of this guide.

### Performance outcome 3

See Appendix 13 'Significant Residual Impacts (SRIs) and Environmental Offsets' for guidance on environmental offsets.

An area of land is a legally secured offset area (as defined under the *Environmental Offsets Act 2014*) if:

1. the area is:
  - a. an Environmental Offset Protection Area; or
  - b. an area declared as an area of high nature conservation value under section 19F of the VMA (Declared Area (Voluntary)); or
  - c. another area prescribed under a regulation; and
2. under the *Environmental Offsets Act 2014* or another Act, the area is subject to a delivery or management plan or agreement (however described in this Act or the other Act) to achieve a conservation outcome for a prescribed environmental matter.



*To identify any areas that are Environmental Offset Protection Areas or another area prescribed under regulation contact the Department of Environment and Science by calling 13 QGOV (13 74 68) or email [offset@des.qld.gov.au](mailto:offset@des.qld.gov.au)*

*To identify Declared Areas (Voluntary) undertake a current title search. Title searches can be purchased by contacting Titles Queensland online at [www.titlesqld.com.au](http://www.titlesqld.com.au) or by calling (07) 3497 4379.*

*Further information on Environmental Offsets under the environmental offsets framework is available online at [www.qld.gov.au](http://www.qld.gov.au) or by contacting the Department of Environment and Science by calling 13 QGOV (13 74 68) or email [offset@des.qld.gov.au](mailto:offset@des.qld.gov.au)*

To meet this PO the application will need to satisfy all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Demonstrate how the development will meet one of the following:
  - a. No legally secured offset area/s apply to the development or clearing footprint; or
  - b. One or more legally secured offset areas apply to the development or clearing footprint however:
    - i. the proposed development and clearing is consistent with the offset delivery plan or an agreement for the offset area; or
    - ii. where the proposed development and clearing is not consistent with the offset delivery plan or an agreement for the offset area, an Environmental Offset will be provided in accordance with the *Environmental Offsets Act 2014*.

## Table 16.14: Fodder harvesting

Fodder harvesting is the clearing of vegetation predominantly consisting of fodder species necessary to provide fodder for stock, and carried out in a way that:

- conserves the vegetation in perpetuity;
- conserves the regional ecosystem in which the vegetation is situated; and
- results in the woody biomass of the cleared vegetation remaining where it is cleared.

This part of the code regulates fodder harvesting by restricted harvesting to areas, regional ecosystems and fodder species to ensure conservation of the regional ecosystem and availability of the fodder source for future generations.

Fodder species means any of the following species:

1. *Acacia aneura*;
2. *Acacia brachystachya*;
3. *Acacia excelsa*;
4. *Acacia pendula*;
5. *Acacia sibirica*;
6. *Alphitonia excels*;
7. *Flindersia maculosa*;
8. *Geijera parviflora*.

Types of harvesting methods included in the code are:

- **selective harvesting** – selective harvesting involves felling individual fodder trees using a chainsaw, or selectively pushing individual fodder trees using a tractor or dozer. This practice should cause minimal damage to the surrounding vegetation.
- **strip harvesting** – Strip harvesting means fodder harvesting in strips (strip harvest areas), while retaining undisturbed areas of vegetation (strip retention areas) on both sides of a strip harvest area.
- **block harvesting** – Block harvesting means fodder harvesting in blocks or clump (block harvest areas) while retaining undisturbed areas of vegetation (block retention areas) on all sides of the block harvest area.

See guidance in Part 1 of this guide 'Key steps in Development Assessment process: Step 1- Determine location and extent of development footprint'.

### Clearing associated with wetlands

See Appendix 3 'Wetlands' for information on the intent of this PO; guidance to identify defining banks; further information sources; and contacts for further assistance.

If the entire clearing for the proposed development meets the requirements of the AOs (where relevant) for PO136, being AO136.1 and AO136.2, the PO is met. If the entire clearing for the proposed development cannot meet the AOs (where relevant), a more robust assessment addressing the PO must be provided with the application.



## Acceptable outcome 136.1

This AO is only relevant to clearing using mechanical clearing methods. Under the code, mechanical clearing means the clearing of vegetation using any of the following methods:

- slashing
- brush cutting
- machinery that disturbs the soil surface or uproots woody vegetation.

If no mechanical clearing is proposed, then the written application can merely state that the AO is not relevant as no mechanical clearing is necessary to undertake the works.

Where mechanical clearing is proposed, this AO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify the defining bank of any natural wetland within 20 metres of the proposed clearing footprint.
3. Provide detail on all proposed mechanical clearing method/s including how clearing will be undertaken, and location and extent of mechanical clearing per method/s.
4. Demonstrate how mechanical clearing will not occur inside the defining bank of any natural wetland or within 20 metres of the defining bank of any natural wetland.

## Acceptable outcome 136.2

This AO is only relevant to mechanical clearing methods that is strip harvesting or block harvesting.

If no mechanical clearing by way of strip harvesting or block harvesting is proposed, then the written application can merely state that the AO is not relevant as no harvesting of the fodder species will be undertaken by way of strip harvesting or block harvesting methods.

Where mechanical clearing by way strip harvesting and / or block harvesting is proposed, this AO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify the defining bank of any natural wetland within 100 metres of the proposed clearing footprint.
3. Provide detail on all proposed mechanical clearing method/s (i.e. strip harvesting and / or block harvesting) including how clearing will be undertaken, and location and extent of mechanical clearing per method/s.
4. Demonstrate how mechanical clearing by way of strip harvesting and / or block harvesting will not occur inside the defining bank of any natural wetland or within 100 metres of the defining bank of any natural wetland.

## Performance outcome 136

If the entire clearing for the proposed development cannot meet the AOs where relevant (AO136.1 to AO136.2), the application will need to address the PO directly. The application should include all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.

2. Identify the defining bank of any natural wetland within 100 metres of the proposed clearing footprint.
3. Identify all areas of clearing within any natural wetland, or within 100 metres of the defining bank of any natural wetland.
4. Identify any areas of clearing within 100 metres of the defining bank of any natural wetland that are not considered regional ecosystems associated with a natural wetland. For example: regional ecosystems that rely on permanent or temporary inundation by water to remain in the landscape; vegetation within a jump up or hill immediately adjacent a natural wetland that does not contribute to the ecological functioning or stability of the natural wetland<sup>10</sup>. Examples of significant changes in elevation immediately adjacent to natural wetland areas include:
  - Simpson Desert and lower Channel Country (“natural wetland” to “dune field”);
  - Cape York Peninsula (wetlands associated with rivers); and
  - Areas in northern and western Queensland where vegetation does not extend more than a few metres from the defining bank.
5. Demonstrate how clearing in any natural wetland, or within 100 metres of the defining bank of any natural wetland, maintains the composition, structure and function of the regional ecosystem. This should include details of the proposed clearing and management methods, and use of any best practice methods.

See Appendix 2 ‘Composition, structure and function of regional ecosystems’ for guidance, further information sources and contacts for further assistance.

6. Where clearing in any natural wetland, or within 100 metres of the defining bank of any natural wetland, does not maintain the composition, structure and function of the regional ecosystem, then clearing is likely to impact one or more of the following:
  - a. bank stability by protecting against bank erosion;
  - b. water quality by filtering sediments, nutrients and other pollutants;
  - c. aquatic habitat;
  - d. terrestrial habitat.

Whilst unlikely, where no impacts to any of the above will result despite the composition, structure and function of the regional ecosystem/s not being maintained, the application must also include all information and evidence to demonstrate how there will be no impact to bank stability, water quality and habitat (aquatic and terrestrial) for any natural wetlands.

## **Clearing associated with watercourses and drainage features**

See Appendix 4 ‘Watercourses and Drainage Features’ for information on: the intent of this PO; guidance to identify defining banks and stream orders; further information sources; and contacts for further assistance.

If entire clearing for the proposed development meets the requirements of the AOs for PO137 (where relevant), being AO137.1 and AO137.2, the PO is met. If the clearing for the proposed development cannot meet the AOs (where relevant), a more robust assessment addressing the PO must be provided with the application.

---

<sup>10</sup> Contributions to ecological functioning include leaf litter deposits or by filtering runoff.

## Acceptable outcome 137.1

This AO is only relevant to clearing using mechanical clearing methods. Under the code, mechanical clearing means the clearing of vegetation using any of the following methods:

- slashing;
- brush cutting;
- machinery that disturbs the soil surface or uproots woody vegetation.

If no mechanical clearing is proposed, then the written application can merely state that the AO is not relevant as no mechanical clearing is necessary to undertake the works.

Where mechanical clearing is proposed, this AO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify the defining bank of any watercourse or drainage feature within 20 metres of the proposed clearing footprint.
3. Provide detail on all proposed mechanical clearing method/s including how clearing will be undertaken, and location and extent of mechanical clearing per method/s.
4. Demonstrate how mechanical clearing will not occur inside the defining bank of any watercourse or drainage feature or within 20 metres of the defining bank of any watercourse or drainage feature.

## Acceptable outcome 137.2

This AO is only relevant to mechanical clearing methods that is strip harvesting or block harvesting.

If no mechanical clearing by way of strip harvesting or block harvesting is proposed, then the written application can merely state that the AO is not relevant as no harvesting of the fodder species will be undertaken by way of strip harvesting or block harvesting methods.

Where mechanical clearing by way of strip harvesting and / or block harvesting is proposed, this AO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify the defining bank of any watercourse or drainage feature within 100 metres of the proposed clearing footprint.
3. Provide detail on all proposed mechanical clearing method/s (i.e. strip harvesting and / or block harvesting) including how clearing will be undertaken, and location and extent of mechanical clearing per method/s.
4. Demonstrate how mechanical clearing by way of strip harvesting and / or block harvesting will not occur inside the defining bank of any watercourse or drainage feature or within 100 metres of the defining bank of any watercourse or drainage feature.

## Performance outcome 137

If the entire clearing for the proposed development cannot meet the AOs where relevant (AO137.1 to AO137.2), the application will need to address the PO directly. The application should include all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be

assessed under the development application.

2. Identify the defining bank of any watercourses or drainage features within 50 metres of the proposed clearing footprint.
3. Determine the stream order for all identified watercourses and drainage features.
4. Identify the assessable clearing areas under the PO for each watercourse and drainage feature based on the relevant distances listed in reference table 2 of the code, being:
  - a. For stream orders 1 and 2 – any clearing within the watercourse or drainage feature and any clearing within 10 metres of the defining bank of the watercourse or drainage feature.
  - b. For stream orders 3 and 4 – any clearing within the watercourse or drainage feature and any clearing within 25 metres of the defining bank of the watercourse or drainage feature.
  - c. For stream orders 5 and greater – any clearing within the watercourse or drainage feature and any clearing within 50 metres of the defining bank of the watercourse or drainage feature.
5. Identify any of these assessable clearing areas above that are not considered regional ecosystems associated with a watercourse or drainage feature. For example: regional ecosystems that rely on permanent or temporary inundation by water to remain in the landscape; vegetation within a jump up or hill immediately adjacent a watercourse or drainage feature that does not contribute to the ecological functioning or stability of the watercourse or drainage feature<sup>11</sup>.
6. Demonstrate how clearing in any watercourse or drainage feature, or within the relevant distance of the defining bank of any watercourse or drainage feature, maintains the composition, structure and function of the regional ecosystem. This should include details of the proposed clearing and management methods, and use of any best practice methods.

See Appendix 2 'Composition, structure and function of regional ecosystems' for guidance, further information sources and contacts for further assistance.

7. Where clearing in any watercourse or drainage feature, or within the relevant distance of the defining bank of any watercourse or drainage feature, does not maintain the composition, structure and function of the regional ecosystem, then clearing is likely to impact one or more of the following:
  - a. bank stability by protecting against bank erosion;
  - b. water quality by filtering sediments, nutrients and other pollutants;
  - c. aquatic habitat;
  - d. terrestrial habitat.

Whilst unlikely, where no impacts to any of the above will result despite the composition, structure and function of the regional ecosystem/s not being maintained, the application must also include all information and evidence to demonstrate how there will be no impact to bank stability, water quality and habitat (aquatic and terrestrial) for any natural wetlands.

## **Soil erosion**

See Appendix 8 'Soil Erosion' for information on: the intent of this PO; requirements for Erosion and Sediment Control Plans; further information sources; and contacts for further assistance.

---

<sup>11</sup> Contributions to ecological functioning include leaf litter deposits or by filtering runoff.

If the entire clearing for the proposed development meets the requirements of the AOs (where relevant) for PO138, being AO138.1 through to AO138.3, the PO is met. If the entire clearing for the proposed development cannot meet the AOs (where relevant), a more robust assessment addressing the PO must be provided with the application.

### Acceptable outcome 138.1

This AO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Provide desktop and field data for soil erosion presence and future risk, both within the application area and on the land surrounding the application area.
3. Provide details of any potential increased soil erosion that may be caused by the proposed clearing, both within the application area and on the land surrounding the application area.
4. Identify recognised best practice methods that will be used to prevent and manage soil erosion.



*Under the code, “recognised best practices method” means a method to mitigate accelerated soil erosion, recognised by any of the following:*

- *a Federal or State government agency published advice or guide, such as the Soil Conservation Guidelines for Queensland (3rd edition) available online at [www.qld.gov.au](http://www.qld.gov.au) search “Soil Conservation Guidelines Queensland”; or*
  - *the Best Practice Erosion and Sediment Control Document, IECA, 2008 available online at [www.qld.gov.au](http://www.qld.gov.au).*
5. Demonstrate how the recognised best practice methods will:
    - a. prevent soil erosion and instability resulting from the clearing. That is, prevent the increased occurrence of gully erosion greater than 30 centimetres in depth, landslips, a scarp, soil scalding or stream bank slumping resulting from the clearing;
    - b. stabilise soil erosion and instability which would result from clearing. That is, stabilise gully erosion greater than 30 centimetres in depth, landslips, scarps, soil scalding or stream bank slumping resulting from the clearing; and
    - c. prevent increased sediment run-off entering a wetland, watercourse or drainage feature as a result of the clearing.

### Acceptable outcomes 138.2 and 138.3

These AOs are only relevant to clearing using mechanical clearing methods. Under the code, mechanical clearing means the clearing of vegetation using any of the following methods:

- slashing;
- brush cutting;
- machinery that disturbs the soil surface or uproots woody vegetation.

If no mechanical clearing is proposed, then the written application can merely state that the AO is not relevant as no mechanical clearing is necessary to undertake the works.

Where mechanical clearing is proposed, to meet the AOs the application must demonstrate all mechanical clearing will meet either AO138.3 or AO138.3. Accordingly, these AOs can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Provide desktop and field data for soil erosion presence and future risk, both within the application area and on the land surrounding the application area.
3. Provide details of any potential increased soil erosion that may be caused by the proposed clearing, both within the application area and on the land surrounding the application area.
4. Demonstrate how mechanical clearing will not occur:
  - a. on slopes<sup>12</sup> greater than 5 per cent; or
  - b. within 50 metres of an area of soil erosion and instability. That is, mechanical clearing will not occur within 50 metres of:
    - i. gully erosion greater than 30 centimetres in depth;
    - ii. landslips;
    - iii. scarps;
    - iv. soil scalding; or
    - v. stream bank slumping.

### **Performance outcome 138**

Where the clearing does not meet all AOs (where relevant), the application must address PO138. The application should include all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Demonstrate that clearing will not result in accelerated soil erosion within or outside the land the subject of the development application.

“Accelerated soil erosion” means soil erosion that exceeds the natural level and that occurs as a direct result of human activity. See the code and Appendix 8 for further definitions associated with soil erosion and types of soil erosion.
3. To demonstrate that clearing will not result in accelerated soil erosion, all of the following should be provided:
  - a. Desktop and field data for soil erosion presence and future risk, both within the application area and on the land surrounding the application area.
  - b. Desktop and field data for chemical, physical and biological fertility characteristics of the soil within the application area and on the land surrounding the application area.

---

<sup>12</sup> Under the code slope means a measure of the upward or downward incline of the land surface over any 30 metre length in the application area.

- c. Details of any potential increased soil erosion that may be caused by the proposed clearing, both within the application area and on the land surrounding the application area.
- d. Details of any potential impacts the proposed clearing may have on these characteristics.
- e. The clearing methods and management strategies that will be employed to either prevent or rectify:
  - i. increased soil erosion caused by the clearing; and
  - ii. any associated loss of chemical, physical or biological fertility (both within and outside the land the subject of the development application).

## Salinity

See Appendix 7 'Salinity' for information on: the intent of this PO; guidance to identify salinity expression areas and meeting this PO; further information sources; and contacts for further assistance.

If clearing for the proposed development meets the requirements of AO139.1 the PO (PO139) is met. However, if the clearing for the proposed development cannot meet the AO, a more robust assessment addressing the PO must be provided in the application.

### Acceptable outcome 139.1

See Appendix 7 'Salinity' for guidance on meeting this AO.

### Performance outcome 139

See Appendix 7 'Salinity' for guidance on meeting this PO.

## Essential habitat

See Appendix 5 'Essential Habitat' for information on: the intent of this PO; identifying essential habitat; further information sources; and contacts for further assistance.

If clearing for the proposed development meets the requirements of any AO (AO140.1 to AO140.3), both POs (PO140 and PO141) are met. However, if the clearing for the proposed development cannot meet any AO, a more robust assessment addressing the PO(s) must be provided in the application.

PO140 and PO141 are corresponding POs. Accordingly, the application must address PO140 first. If the application adequately demonstrates that the proposal cannot meet the first corresponding PO (PO140), only then is the application able to address the second corresponding PO (PO141) and if appropriate propose an offset for any acceptable SRI.

### Acceptable outcome 140.1

This AO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify any proposed clearing of vegetation in any regional ecosystems that is an area of essential habitat. See Part 1 'Vegetation Management mapping' for further information on and access to vegetation management maps and data.
3. Demonstrate how no clearing will occur in any areas of essential habitat.

### Acceptable outcome 140.2

This AO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify any proposed clearing of vegetation in any regional ecosystems that is an area of essential habitat. See Part 1 'Vegetation Management mapping' for further information on and access to vegetation management maps and data.
3. Demonstrate how any clearing of essential habitat will not exceed the widths in reference table 1 of the code being:
  - a. for dense and mid-dense regional ecosystems – 10 metres;
  - b. for sparse and very sparse regional ecosystems – 20 metres; and
  - c. for grassland regional ecosystems – 25 metres.

See Appendix 14 'Principles for calculating limits for Reference Table 1 of the code' for guidance on calculating these limits.

These widths are based on regional ecosystem structure categories, which can be found in the REDD.



*Access or download the database at [www.qld.gov.au](http://www.qld.gov.au) (search for 'regional ecosystem description database').*

### Acceptable outcome 140.3

This AO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify any proposed clearing of vegetation in any regional ecosystems that is an area of essential habitat. See Part 1 'Vegetation Management mapping' for further information on and access to vegetation management maps and data.
3. Demonstrate how all clearing of essential habitat will not exceed the areas in reference table 1 of the code being:
  - a. for dense and mid-dense regional ecosystems – 0.5 hectares;
  - b. for sparse and very sparse regional ecosystems – 2 hectares; and
  - c. for grassland regional ecosystems – 5 hectares.

See Appendix 14 'Principles for calculating limits for Reference Table 1 of the code' for guidance on calculating these limits.

These areas are based on regional ecosystem structure categories, which can be found in the REDD.



*Access or download the database at [www.qld.gov.au](http://www.qld.gov.au) (search for 'regional ecosystem description database').*

### Performance outcome 140

Where the clearing does not meet any AO, the application must first address PO140. The application should include all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.



2. Identify any proposed clearing of vegetation in any regional ecosystems that is an area of essential habitat. Provide details of all regional ecosystems and all protected wildlife species for these areas. See Part 1 'Vegetation Management mapping' for further information on and access to vegetation management maps and data.
3. Demonstrate how clearing of vegetation in any regional ecosystem that is an area of essential habitat maintains the composition, structure and function of the regional ecosystem. This should include details of the proposed clearing and management methods, and use of any best practice methods.

See Appendix 2 'Composition, structure and function of regional ecosystems' for guidance, further information sources and contacts for further assistance.

If it can be demonstrated that the first corresponding PO (PO140) is met, the second corresponding PO (PO141) is automatically met.

### **Performance outcome 141**

If it is first demonstrated that the first corresponding PO (PO140) cannot be met, the second corresponding PO (PO141) can then be addressed. In addition to the information required for PO140, the application should also include all of the required information listed in Appendix 13 'Significant Residual Impacts (SRIs) and Environmental Offsets' for each protected wildlife species individually.

### **Limits to clearing for fodder harvesting**

#### **Performance outcome 142**

As there are no prescribed AOs, the application will need to address the PO directly. To meet this PO, the application will need to satisfy all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Provide details for all of the following:
  - a. the areas where stock will be located during the fodder harvesting, and water access points for each location;
  - b. the number of stock at each location where fodder will be harvested; and
  - c. calculations demonstrating:
    - i. the extent of proposed fodder harvesting is proportionate to the number of stock; and
    - ii. available water access points will provide sufficient water for the stock in each area for the proposed time.
3. Where appropriate, provide evidence of any obstacles preventing fodder harvesting in more appropriate areas (e.g. steep slopes, fire, high water levels).
4. Demonstrate how clearing is limited to:
  - a. the extent necessary to provide fodder for stock; and
  - b. areas where the stock is located, and the stock have sufficient water.

#### **Performance outcome 143**

As there are no prescribed AOs, the application will need to address the PO directly. To meet this PO the application will need to satisfy all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify all of the regional ecosystems proposed to be harvested for fodder. See Part 1 'Vegetation Management mapping' for further information on and access to vegetation management maps and data.
3. Provide information on the proposed harvesting method/s (i.e. selective harvesting, strip harvesting or block harvesting). This should include details of how, when and where these methods will be undertaken.
4. Demonstrate how clearing will only occur:
  - a. in regional ecosystems prescribed in reference tables 6 or 7 of the code; and
  - b. in accordance with the harvesting method limitations for the regional ecosystem listed in reference table 6 or reference table 7 of this code.



*Regional ecosystems listed in reference table 6 of the code are regional ecosystems in which fodder species are dominant and accordingly are prescribed as being suitable for fodder harvesting by way of either selective harvesting, strip harvesting or block harvesting.*

*Regional ecosystems listed in reference table 7 of the code are regional ecosystems in which fodder species are not dominant and accordingly are prescribed as being suitable for fodder harvesting by way of selective harvesting methods only.*

## Performance outcome 144

As there are no prescribed AOs, the application will need to address the PO directly. To meet this PO the application will need to satisfy all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify all of the regional ecosystems for the proposed clearing area. See Part 1 'Vegetation Management mapping' for further information on and access to vegetation management maps and data.
3. Provide information on the proposed harvesting method/s, and the targeted fodder species. This should include details of how, when and where these methods will be undertaken.
4. Demonstrate how clearing by way of the proposed harvesting method/s will ensure clearing consists predominantly of fodder species and will avoid clearing of non-fodder species.
5. Where the clearing of non-fodder species is necessary to access the fodder harvesting area or as a consequence of harvesting fodder species - provide the location and extent of clearing of non-fodder species.

## Conserving vegetation

If entire clearing for the proposed development meets the requirements of the AOs for PO145 (where relevant), being AO145.1 and AO145.5, the PO is met. If the clearing for the proposed development cannot meet the AOs (where relevant), a more robust assessment addressing the PO must be provided with the application.

### Acceptable outcome 145.1

This AO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify all of the regional ecosystems for the proposed clearing area. See Part 1 'Vegetation Management mapping' for further information on and access to vegetation management maps and data.
3. Provide information on the proposed harvesting method/s, and the targeted fodder species. This should include details of how, when and where these methods will be undertaken.
4. Demonstrate how harvesting will be carried out in a way that does not result in the removal of non-fodder species with a height of four metres or more.

### Acceptable outcome 145.2

This AO is only relevant to harvesting by way of selective harvesting. If no selective harvesting is proposed, then the written application can merely state that the AO is not relevant as no harvesting of the fodder species will be undertaken by way of selective harvesting.

Where selective harvesting is proposed, this AO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify all of the regional ecosystems for the proposed clearing area. See Part 1 'Vegetation Management mapping' for further information on and access to vegetation management maps and data.
3. Provide information on the proposed selective harvesting method/s (e.g. chainsaw), and the targeted fodder species. This should include details of how, when and where these methods will be undertaken.
4. Demonstrate that selective harvesting retains all non-fodder species except where the damage is an unavoidable consequence of clearing the selected fodder tree.
5. Demonstrate that selective harvesting by way of chainsaw in regional ecosystems listed in reference table 6 of the code will retain at least one fodder tree for every fodder tree cleared.
6. Demonstrate that selective harvesting in Least Concern regional ecosystems listed in reference table 7 of the code will retain at least one fodder tree for each fodder tree cleared.
7. Demonstrate that selective harvesting in Of Concern regional ecosystems listed in reference table 7 of the code will retain at least two fodder trees for each fodder trees cleared.

### Acceptable outcome 145.3

This AO is only relevant to harvesting by way of strip harvesting or block harvesting. If no strip harvesting or block harvesting is proposed, then the written application can merely state that the AO is not relevant as no harvesting of the fodder species will be undertaken by way of strip harvesting or block harvesting.

Where strip harvesting or block harvesting is proposed, this AO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.

2. Identify all of the regional ecosystems for the proposed clearing area. See Part 1 'Vegetation Management mapping' for further information on and access to vegetation management maps and data.
3. Identify any areas in the proposed clearing area where fodder harvesting has previously occurred within the last 10 years.



*Fodder harvesting under the VMA framework can be undertaken under an Accepted Development Vegetation Clearing Code (ADVCC) for fodder harvesting or a development approval.*

*To access the online register of ADVCC notifications, go to [www.qld.gov.au](http://www.qld.gov.au) (search 'register of accepted development vegetation clearing code notifications').*

*To access decision notices for development approvals online, go to [www.qld.gov.au](http://www.qld.gov.au) (search 'SARA application material').*

4. Provide information on the proposed harvesting method(s), and the targeted fodder species. This should include details of how, when and where these methods will be undertaken.
5. In areas where fodder harvesting has previously occurred, demonstrate how strip harvesting or block harvesting will only occur if:
  - a. the vegetation has not been cleared in the last 10 years;
  - b. the average height of the fodder trees is at least 70 per cent of the height of the tallest stands of fodder species in the regional ecosystem; and
  - c. the fodder trees that were previously harvested have now attained an average height of at least four metres.



*See Appendix 15 'Measuring tree height and measuring slope' for guidance on measuring tree height.*

6. Demonstrate how strip harvesting and block harvesting aligns clearing along the contour where practical.



*Access the topographic mapping at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QSpatial').*

7. Demonstrate hoe strip harvesting and block harvesting does not occur in patches of regional ecosystems that are less than 10 hectares in area or less than 500 metres wide.

### **Acceptable outcome 145.4**

This AO is only relevant to harvesting by way of strip harvesting. If no strip harvesting is proposed, then the written application can merely state that the AO is not relevant as no harvesting of the fodder species will be undertaken by way of strip harvesting.

Where strip harvesting is proposed, this AO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify all proposed strip harvesting areas. Under the code, a "strip harvest area" means a strip where strip harvesting is undertaken.

3. Identify all proposed strip retention areas. Under the code, a “strip retention area” means an undisturbed area of vegetation required to be retained on all sides of a strip harvest area when undertaking strip harvesting.
4. Demonstrate how strip harvesting does not result in any strip harvesting areas exceeding 50 metres in width.
5. Demonstrate how strip harvesting results in all strip retention areas:
  - a. being preserved along the length of strip harvest areas to a width of at least 1.5 times that of the adjacent strip harvest area; and
  - b. containing fodder species with an average height of at least four metres.



*See Appendix 15 ‘Measuring tree height and measuring slope’ for guidance on measuring tree height.*

6. Demonstrate how strip harvesting does not result in clearing for machinery access between strip harvest areas exceeding 15 metres in width.

### **Acceptable outcome 145.5**

This AO is only relevant to harvesting by way of block harvesting. If no block harvesting is proposed, then the written application can merely state that the AO is not relevant as no harvesting of the fodder species will be undertaken by way of block harvesting.

Where block harvesting is proposed, this AO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify all proposed block harvesting areas. Under the code, a “block harvest area” means the block or clump where block harvesting is undertaken.
3. Identify all proposed block retention areas. Under the code, a “block retention area” means an undisturbed area of vegetation required to be retained on all sides of a block harvest area when undertaking block harvesting.
4. Demonstrate how block harvesting does not result in any block harvesting areas exceeding one hectare.
5. Demonstrate how block harvesting results in all block retention areas:
  - a. being preserved between block harvest areas in accordance with the widths specified in reference table 8 of the code, being:
    - i. for block harvesting areas less than 0.5 hectare – at least 75 metres;
    - ii. for block harvesting areas between 0.5 hectare and one hectare – at least 150 metres; and
  - b. containing fodder species with an average height of at least four metres.



*See Appendix 15 ‘Measuring height and measuring slope’ for guidance on measuring tree height.*

6. Demonstrate how block harvesting does not result in clearing for machinery access between block harvest areas exceeding 10 metres in width.

## Performance outcome 145

Where the clearing does not meet all AOs (where relevant), the application must address PO145. The application should include all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify all of the regional ecosystems for the proposed clearing area. See Part 1 'Vegetation Management mapping' for further information on and access to vegetation management maps and data.
3. Provide information on the proposed harvesting method/s, and the targeted fodder species. This should include details of how, when and where these methods will be undertaken.
4. Demonstrate how harvesting will be carried out in a way that conserves:
  - a. remnant vegetation in perpetuity;
  - b. the regional ecosystem in which the vegetation is situated.

This should include details of the proposed clearing and management methods, and use of any best practice methods.

These requirements safeguard the ongoing existence and function of the regional ecosystem/s being harvested. Accordingly, the application should demonstrate that the extent of harvesting does not compromise the composition, structure or function of the regional ecosystem/s. See Appendix 2 'Composition, structure and function of regional ecosystems' for guidance, further information sources and contacts for further assistance.

## Cleared vegetation

Vegetation debris left by fodder harvesting provides a range of benefits for the regional ecosystem, such as reduced erosion risk, habitat for wildlife, and protection for seedlings and seed banks

As there are no prescribed AOs, the application will need to address the PO directly.

## Performance outcome 146

There are no prescribed AOs and accordingly the application must address PO146. The application should include all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Provide information on the proposed harvesting method/s, and the targeted fodder species. This should include details of how, when and where these methods will be undertaken.
3. Demonstrate how fodder harvesting is carried out in a way that results in the woody biomass of the cleared vegetation remaining where it is cleared. For example, no raking or otherwise moving harvested vegetation (and other woody biomass) from where it falls.

## Conserving the fodder resource

To ensure fodder harvesting remains sustainable, the code requires the extent of fodder species to be maintained at sustainable levels within each fodder regional ecosystem.

If clearing for the proposed development meets the requirements of AO147.1, the PO (PO147) is met. However, if the clearing for the proposed development cannot meet the AO, a more robust assessment addressing the PO must be provided in the application.

## Acceptable outcome 147.1

This AO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify all of the fodder regional ecosystems for lot including the proposed clearing area. See Part 1 'Vegetation Management mapping' for further information on and access to vegetation management maps and data.
3. Provide information on the proposed harvesting method/s, and the targeted fodder species. This should include details of how, when and where these methods will be undertaken.
4. Identify any areas:
  - a. where fodder harvesting has previously occurred on the lot under any development approval or any Accepted Development Vegetation Clearing Code within the last 10 years; and
  - b. where clearing has been previously undertaken under any development approval or any Accepted Development Vegetation Clearing Code within the last 10 years for any clearing purpose within the proposed clearing area or within any fodder regional ecosystem proposed to be harvested.



*To access the online register of ADVCC notifications go to [www.qld.gov.au](http://www.qld.gov.au) (search 'register of accepted development vegetation clearing code notifications').*

*To access decision notices for development approvals online where SARA is the assessment manager, go to [www.qld.gov.au](http://www.qld.gov.au) (search 'SARA application material').*

*To access decision notices for development approvals where local government is the assessment manager, contact your relevant local government.*

5. Identify any areas within the proposed development footprint that are areas required to be retained under:
  - a. the code (for any clearing purpose);
  - b. a development approval (for any clearing purpose); or
  - c. any accepted development vegetation clearing code (for any clearing purpose).
6. Demonstrate how, considering any clearing in the past 10 year period on the lot, clearing:
  - a. has not occurred more than once in the same area of a lot and that clearing will not occur in an area that has been cleared within 10 years of the date of the development application.
  - b. will not occur in more than 50 per cent of the area of any fodder regional ecosystem listed in table 6 and table 7 of the code.
  - c. will not occur in areas required to be retained under:
    - i. the code (for any clearing purpose);
    - ii. a development approval (for any clearing purpose); or
    - iii. any accepted development vegetation clearing code (for any clearing purpose).

## Performance outcome 147

Where the clearing does not meet the AO, the application must address the PO. The application should include all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify all of the regional ecosystems for the proposed clearing area. See Part 1 'Vegetation Management mapping' for further information on and access to vegetation management maps and data.
3. Provide information on the proposed harvesting method/s, and the targeted fodder species. This should include details of how, when and where these methods will be undertaken.
4. Identify any areas:
  - a. where fodder harvesting has previously occurred on the lot under any development approval or any Accepted Development Vegetation Clearing Code within the last 10 years; and
  - b. where clearing has been previously undertaken under any development approval or any Accepted Development Vegetation Clearing Code within the last 10 years for any clearing purpose within the proposed clearing area or within any fodder regional ecosystem proposed to be harvested.



*To access the online register of ADVCC notifications go to [www.qld.gov.au](http://www.qld.gov.au) (search 'register of accepted development vegetation clearing code notifications').*

*To access decision notices for development approvals online where SARA is the assessment manager, go to [www.qld.gov.au](http://www.qld.gov.au) (search 'SARA application material').*

*To access decision notices for development approvals where local government is the assessment manager, contact your relevant local government.*

5. Provide details of any prior harvesting including location, area extent, target species, regional ecosystem/s, harvesting method/s, time of clearing, extent of harvesting, how these prior harvest areas have regrown etc.
6. Provide details of any prior clearing within the proposed clearing area or within a fodder regional ecosystem proposed to be harvested – include location, area extent, regional ecosystem/s, clearing purpose, clearing method/s, time of clearing, extent of clearing, how these prior harvest areas have regrown etc.
7. For each fodder regional ecosystem proposed to be harvested, provide desktop and field data on the fodder species for each regional ecosystem (i.e. height, density) per mapped polygon of the regional ecosystem on the lot.
8. Demonstrate how fodder harvesting will be carried out in a way that will conserve the fodder resource.

### **Duration of clearing, preventing land degradation, and maintaining biodiversity, ecological processes and regional ecosystems**

Clearing for fodder is not intended to permanently remove the functioning regional ecosystem.



To prevent or minimise the effects of land degradation, and to maintain or minimise the impact on biodiversity, ecological processes and regional ecosystems, clearing should be limited to the shortest duration required to achieve the purpose of the clearing.

The duration that is needed to complete fodder harvesting will depend on the area of vegetation containing fodder species that is on the lot and available under the code, the density of the fodder species, and the number of stock to be fed. The time required to complete the clearing work should also take account of requirements under the code to conserve remnant vegetation in perpetuity and to conserve the fodder resource. A period of 10 years is generally sufficient to complete a typical fodder harvest; however, in some circumstances, a shorter period may be found to be adequate, or alternatively the application may demonstrate a longer period is required.

As there are no prescribed AOs, the application will need to address the PO directly.

### **Performance outcome 148**

This PO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify the proposed duration of the clearing program to achieve the purpose. This should include any relevant time constraints associated with the proposed clearing program, any notable weather patterns, relevant periodic land uses that will impact the clearing program and any ecological processes that may impact on successful conservation or restoration of the regional ecosystem.
3. Identify the regional ecosystems for the proposed clearing areas. See Part 1 'Vegetation Management mapping' for further information on and access to vegetation management maps and data.
4. Provide details of the proposed clearing program including clearing method/s, how when and where these methods will be undertaken, use of any best practice methods, and monitoring program.
5. Demonstrate how the duration of clearing under the proposed clearing program will:
  - a. not contribute to land degradation;  
See Appendix 'Soil Erosion' for further information.
  - b. ensure the ongoing maintenance of ecological processes and biodiversity; and  
See Appendix 2 'Composition, structure and function of regional ecosystems' for further information.
  - c. maintain the regional ecosystem.  
See Appendix 2 'Composition, structure and function of regional ecosystems' for further information.

# Appendix 2: Composition, structure and function of regional ecosystems

Maintaining the composition, structure and function of regional ecosystems: PO5 – PO8, PO12 – PO17, PO20 – PO23, PO27 – PO30, PO34 – PO37, PO42 – PO45, PO50 – PO53, PO58 – PO61, PO65 – PO68, PO73 – PO78, PO81 – PO84, PO88 – PO91, PO97 – PO104, PO111 – PO114, PO116 – PO119, PO122 – PO123, PO128, PO136 – PO137, PO140 – PO141, PO149 – PO150.


Conserving remnant vegetation or restoring regional ecosystems generally: PO126, PO134, PO145 and PO153.

Some POs in the code require assessment of impacts to regional ecosystems to protect biodiversity, for example, to demonstrate the proposed development:

- maintains the composition, structure and function of regional ecosystems;
- conserve remnant vegetation or restore regional ecosystems; or
- maintains connectivity.

Accordingly, where the assessment benchmark is to maintain the composition, structure and function of regional ecosystems, the application must demonstrate how the proposed development will maintain the composition, structure and function of regional ecosystems that will in turn result in protecting the relevant environmental value/s (e.g. wetlands, watercourses, areas of essential habitat). The assessment should consider whether there are any significant on-ground conditions that may vary how the expected composition, structure and function of any regional ecosystem is impacted by the proposed clearing.

Likewise, where the assessment benchmark is to conserve remnant vegetation or allow for restoration of the regional ecosystems, the application must demonstrate how the proposed development will achieve the required outcomes e.g. maintain the natural floristic composition and range of sizes of each species of the regional ecosystem evenly spaced across the application area; retain mature trees; retain habitat trees. Again, by conserving the remnant vegetation or allowing the restoration of the regional ecosystems, the relevant environmental value will be protected (e.g. conserving remnant vegetation that is a regional ecosystem; restoring the regional ecosystem).

 *See part 1 of this guide 'Vegetation Management mapping' for information on Vegetation Management mapping, Vegetation Management class for the regional ecosystem, interpreting regional ecosystem labels, regional ecosystem structure categories, bioregions, mixed polygons, PMAVs etc.*

Regional ecosystems are vegetation communities in a bioregion that are consistently associated with a particular combination of geology, landform and soil.

Biodiversity means the variability among living organisms from all sources, including terrestrial, marine and other aquatic ecosystems and the ecological complexes of which they are part, and includes:

- diversity within species and between species; and
- diversity of ecosystems.

Accordingly biodiversity is ‘...the variety of life, its composition, structure and function, at a range of scales’<sup>13</sup>.

‘Composition’ means the variation in species, populations and gene pools.

‘Structure’ means the physical variation of habitat and ecosystem components, such as tree, shrub and ground layers.

‘Function’ is the way it all works together including important ecological processes such as carbon, nutrient and water cycling.

The REDD provides basic regional ecosystem information including:

- Regional ecosystem code / label (i.e. bioregion, landzone, plants);
- VMA status (i.e. Least Concern, Of Concern and Endangered);
- Short description of the regional ecosystem – basic information such as the predominant canopy species, canopy cover structure (e.g. grassland, open woodland, woodland, open forest etc.);
- Structure category (e.g. sparse, dense);
- Long description of the regional ecosystem – more detailed information, mostly regarding understorey species and variants of the regional ecosystem; and
- Supplementary data – references to documentation that has been used to create the regional ecosystem technical descriptions provide a detailed description of the normal range in structure and floristic composition of remnant regional ecosystems and their component vegetation communities. They should be used in conjunction with the other fields from the REDD for a normal description of the regional ecosystem. Technical descriptions include the attributes of tree canopy height and cover, and native plant species composition of the predominant layer, which are used to assess the remnant status of vegetation under the VMA. However, as technical descriptions reflect the normal range in structure and floristic composition across the climatic, natural disturbance and geographic range of the regional ecosystem, local reference sites should be used where possible.



*A full description of each regional ecosystem is available on the Regional Ecosystem Description Database (REDD). Access or download the database at [www.qld.gov.au](http://www.qld.gov.au) (search for ‘regional ecosystem description database’).*

The Queensland Herbarium also publishes bio-condition benchmarks that are specific to each regional ecosystem or vegetation community in Queensland and are based on the average or median value of condition attributes assessed at reference and best-on-offer sites. The setting of benchmarks aims to account for the natural variability in structure and floristic composition under a range of natural disturbance regimes throughout the geographic extent of the regional ecosystem. Benchmarks are quantitative values derived from data collected from field-based reference sites for each site condition attribute assessed in bio-condition. These benchmarks have been developed to be used with the BioCondition vegetation condition assessment framework and are available to download in excel spreadsheet format at [www.qld.gov.au](http://www.qld.gov.au) (search ‘BioCondition’).

---

<sup>13</sup> Freudenberger, D & Harvey, J 2003, *Assessing the benefits of vegetation enhancement for biodiversity: A draft framework*, Report for Environment Australia, CSIRO Sustainable Ecosystems, Canberra.

The BioCondition vegetation condition assessment framework is a framework that provides a measure of the capacity of a terrestrial ecosystem to maintain biodiversity values at a local or property scale<sup>14</sup>. It is a site-based, quantitative and repeatable assessment procedure that provides a numeric score to reflect functional, through to dysfunctional, vegetation condition states for biodiversity.



*[BioCondition Site Assessment Manual](#): provides an assessment protocol to measure how well an area of vegetation is functioning for the maintenance of biodiversity values; and helpful in determining functionality / dysfunctionality of a regional ecosystem. Access the manual at [www.qld.gov.au](http://www.qld.gov.au) (search for 'BioCondition Site Assessment Manual').*

*For further information, publications, research or data on plant species and regional ecosystems in Queensland may be available from the Queensland Herbarium. Go to [www.qld.gov.au](http://www.qld.gov.au) (search 'Queensland Herbarium'), email [Queensland.Herbarium@qld.gov.au](mailto:Queensland.Herbarium@qld.gov.au) or call 3199 7699.*

## Information resources to assist in assessment

The following resources may be appropriate:

- Imagery: to demonstrate the presence of vegetation (free online resources include [Queensland Globe, QImagery](#)). Access the imagery at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QImagery').
- Topographic mapping and regional ecosystem mapping: to confirm the location and extent of riparian wetland vegetation associated with a mapped wetland (free online resources include [Queensland Globe](#), and [QSpatial](#)). Access the mapping at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QSpatial').
- [Regional Ecosystem Description Database](#): Access or download the database at [www.qld.gov.au](http://www.qld.gov.au) (search for 'regional ecosystem description database').
- Geology mapping: to identify any geological features that may verify changes in water flow, constriction, or vegetation types (free online resources include [Queensland Globe](#), and [QSpatial](#)). Access the mapping at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QSpatial').
- [BioCondition Site Assessment Manual](#): helpful in describing the composition, structure and function of regional ecosystems. Access the manual at [www.qld.gov.au](http://www.qld.gov.au) (search for 'BioCondition Site Assessment Manual').
- See Appendix 11 'Rehabilitation'.
- See Appendix 13 'Significant Residual Impacts (SRIs) and Environmental Offsets'.
- [PMAV Application Guide](#): where the vegetation on ground is considered to be different to the mapped regional ecosystems, it is recommended you apply for a PMAV prior to lodging the development application. The PMAV application guide contains valuable guidance on the evidence that should be provided with a PMAV application. The guide also provides valuable links to Queensland Herbarium support material including technical description data and how to

---

<sup>14</sup> This framework includes advice on the appropriate scale and sampling requirements for a BioCondition assessment dependent on the circumstances—for example, i.e. regional ecosystem, area, any natural conditions.

record site data and observations. The PMAV Application Guide is available online at [www.qld.gov.au](http://www.qld.gov.au) (search 'PMAV Application Guide').



*Providing information to verify on-ground vegetation within a development application will not result in changes to statutory vegetation management mapping. The only process for requesting statutory vegetation mapping changes is to request a PMAV. Where the development application material does not adequately represent the vegetation impacted by the proposed clearing, SARA's assessment will be undertaken using the statutory vegetation management mapping.*

## Need more help?

- Seeking pre-lodgement advice with the SARA before lodging a development application is strongly recommended. This will identify any potential issues or additional information requirements. This is particularly important for those applications that are likely to require rehabilitation or environmental offsets to meet the POs.



*For more detailed information about the role of SARA and seeking pre-lodgement advice, visit <https://planning.statedevelopment.qld.gov.au/planning-framework/state-assessment-and-referral-agency>*

- For further information, publications, research or data on plant species and regional ecosystems in Queensland may be available from the Queensland Herbarium. Go to [www.qld.gov.au](http://www.qld.gov.au) (search 'Queensland Herbarium'), email [Queensland.Herbarium@qld.gov.au](mailto:Queensland.Herbarium@qld.gov.au) or call 3199 7699.
- It may be appropriate to hire an environmental or planning consultant to assist in preparing this assessment. Further information on finding and choosing the right consultant is available online at [www.qld.gov.au](http://www.qld.gov.au) search 'Finding an environmental consultant'.
- If it is likely that the proposal is a controlled action under the *Environment Protection and Biodiversity Conservation Act 1999*, early advice should be sought from the relevant Commonwealth agency.
- For assistance with vegetation management queries, including assistance with obtaining accessing information resources such Queensland Globe, please contact the Veg Hub on phone 135 VEG (135 834) or email [vegetation@resources.qld.gov.au](mailto:vegetation@resources.qld.gov.au).

# Appendix 3: Wetlands

(PO5, PO6, PO20, PO21, PO34, PO35, PO50, PO51, PO65, PO66, PO81, PO82, PO97, PO98, PO99, PO100, PO122, PO128, PO136, PO149)

A wetland is defined as an area of land that supports plants or is associated with plants that are adapted to and dependent on living in wet conditions for at least part of their life cycle, and are shown on the Vegetation Management Supporting Map.


When undertaking an assessment, it is important to note the assessment relates to the clearing of vegetation in a regional ecosystem that is associated with a natural wetland. The purpose of this assessment benchmark is to ensure the clearing for the proposed development maintains the composition, structure and function of the regional ecosystem associated with the natural wetland. Maintaining the composition, structure and function of the regional ecosystem associated with the natural wetland ensures protection of bank stability, water quality, aquatic habitat and terrestrial habitat. Information on regional ecosystems under the vegetation management framework are shown on the Vegetation Management Supporting Map.

**TIP** See Part 1 above ‘Vegetation Management mapping’ for guidance how to access and apply these vegetation management maps.

Wetlands can be threatened by changes in both surface water and groundwater levels from changes to vegetation within and surrounding the wetland.

The wetland POs focus on clearing that is within a wetland, or within 100 metres of the defining bank of a wetland. This is because the regional ecosystems within this proximity are the most significant for maintaining the ecological function of the wetland.

In many cases, the defining bank of a wetland is reasonably clear by observing the ground topography. If there are several defining banks, with each corresponding to higher flows, the highest defining bank is normally used. The only exception may be if local knowledge indicates that this highest bank corresponds to infrequent large flood events, in which case the next lower defining bank may be appropriate to use instead. If no defining bank is evident, look for any evidence of a seasonal high water line such as the deposition of sediment, build-up of debris or a characteristic vegetation zonation. This area is used as a surrogate for the defining bank when measuring buffer distances (i.e. 100 metres).



**Figure 2: Defining bank of water feature**

## Information resources to assist in assessment

To verify your assessment, the following resources may be appropriate:

Guide to State Development Assessment Provisions – State code 16: Native vegetation clearing, Department of Resources

- Imagery: to demonstrate the presence of vegetation (free online resources include [Queensland Globe, QImagery](#)). Access the imagery at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QImagery').
- Topographic mapping and regional ecosystem mapping: to confirm the location and extent of riparian wetland vegetation associated with a mapped wetland (free online resources include [Queensland Globe](#), and [QSpatial](#)). Access the mapping at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QSpatial').
- [Regional Ecosystem Description Database](#): The long description of a regional ecosystem may identify whether the vegetation is riparian vegetation, or a palustrine or lacustrine regional ecosystem. Access or download the database at [www.qld.gov.au](http://www.qld.gov.au) (search for 'regional ecosystem description database').
- Geology mapping: to identify any geological features that may verify changes in water flow, constriction, or vegetation types (free online resources include [Queensland Globe](#), and [QSpatial](#)). Access the mapping at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QSpatial').
- [BioCondition Site Assessment Manual](#): helpful in describing the composition, structure and function of regional ecosystems. Access the manual at [www.qld.gov.au](http://www.qld.gov.au) (search for 'BioCondition Site Assessment Manual').
- Erosion and Sediment Control: for further guidance on developing an erosion and sediment control plan:
  - Information about erosion and preventing and managing erosion can be found on the Queensland State Government website:
  - Refer to federal or state government agency published advice or guides such as the Soil Conservation Guidelines for Queensland (3<sup>rd</sup> edition), Queensland Soil and Land Resource Survey Information Guideline or Best Practice Erosion and Sediment Control, IECA, 2008.
- See Appendix 11 'Rehabilitation'.
- See Appendix 13 'Significant Residual Impacts (SRIs) and Environmental Offsets'.

## Need more help?

- Seeking pre-lodgement advice with the SARA before lodging a development application is strongly recommended. This will identify any potential issues or additional information requirements. This is particularly important for those applications that are likely to require rehabilitation or environmental offsets to meet the POs.



*For more detailed information about the role of SARA and seeking pre-lodgement advice, visit*

<https://planning.statedevelopment.qld.gov.au/planning-framework/state-assessment-and-referral-agency>

- If it is likely that the proposal is a controlled action under the *Environment Protection and Biodiversity Conservation Act 1999*, early advice should be sought from the relevant Commonwealth agency.
- For information on environmental offsets see Appendix 13 'Significant Residual Impacts (SRIs) and Environmental Offsets'.

- For assistance with vegetation management queries, including assistance with obtaining accessing information resources such Queensland Globe, please contact the Veg Hub on phone 135 834 or email [vegetation@resources.qld.gov.au](mailto:vegetation@resources.qld.gov.au)
- It may be appropriate to hire an environmental or planning consultant to assist in preparing this assessment. Further information on finding and choosing the right consultant is available online at [www.qld.gov.au](http://www.qld.gov.au) search 'Finding an environmental consultant'.



# Appendix 4: Watercourses and Drainage Features

(PO7, PO8, PO22, PO23, PO36, PO37, PO52, PO53, PO67, PO68, PO83, PO84, PO101, PO102, PO103, PO104, PO123, PO129, PO137, PO150)

Under the VMA framework, watercourses are identified on the Vegetation Management Watercourse and Drainage Feature Map and in general, is a feature that:

- is a river, creek or stream, including an anabranch, in which water flows permanently or intermittently, regardless of how frequently flows occur
- includes natural and artificial channels
- includes in-stream islands or bars
- extends to the outer banks of the watercourse
- does not include drainage features.

Under the VMA framework, drainage features are identified on the Vegetation Management Watercourse and Drainage Feature Map and in general, is a feature that:

- contain overland-flow water during and immediately after rain
- only flow for a short period of time after rain
- generally do not have enough continuing flow to create a riverine environment.


When undertaking an assessment, it is important to note the assessment relates to the clearing of vegetation in a regional ecosystem that is associated with a watercourse or drainage feature. The purpose of this assessment benchmark is to ensure the clearing for the proposed development maintains the composition, structure and function of the regional ecosystem associated with the watercourse or drainage feature. Maintaining the composition, structure and function of the regional ecosystem associated with the watercourse or drainage feature ensures protection of bank stability, water quality, aquatic habitat and terrestrial habitat. Information on regional ecosystems under the vegetation management framework are shown on the Vegetation Management Supporting Map.



*See Part 1 above 'Vegetation Management mapping' for guidance how to access and apply these vegetation management maps.*

The watercourse and drainage feature POs focus on clearing that is within a watercourse or drainage feature, or within a prescribed distance of the defining bank of a watercourse or drainage feature dependent on the stream order. This is because the regional ecosystems within this proximity are the most significant for maintaining the ecological function of the watercourse or drainage feature.

Watercourse and drainage feature mapping outside of South East Queensland is at a 1:100,000 scale (with stream orders), whilst SEQ watercourse and drainage feature mapping is at a finer 1:25,000 scale (without stream orders). Stream ordering is a numerical ordering classification of each stream segment according to its position within a catchment, as shown below. Where the mapping does not include the stream order number, then the assessment will need to determine the numbers using the methodology shown in Figure 3 below.




**Figure 3: Diagrammatic view of stream ordering**

When two streams of the same order join, the resulting stream becomes one stream order larger. If two streams of different orders join, the resulting stream order is that of the larger stream.

The Vegetation Management Watercourse and Drainage Feature map shows watercourses and drainage features with a blue line. This is an indication of the presence of a watercourse or drainage feature, and it does not demonstrate the location of its defining banks.

In many cases, the defining bank of a watercourse or drainage feature is reasonably clear by observing the ground topography. If there are several defining banks, with each corresponding to higher flows, the highest defining bank is normally used. The only exception may be if local knowledge indicates that this highest bank corresponds to infrequent large flood events, in which case the next lower defining bank may be appropriate to use instead. If no defining bank is evident, look for any evidence of a seasonal high water line such as the deposition of sediment, build-up of debris or a characteristic vegetation zonation. This area is used as a surrogate for the defining bank when measuring buffer distances (i.e. the prescribed distance listed in reference table 2 of the code).



**Figure 4: Defining bank of water feature**

Developments involving clearing that impacts on multiple watercourse and drainage features must provide an analysis of impacts for each watercourse and drainage feature.

## Information resources to assist in assessment

The following resources may be appropriate:

- Imagery: to demonstrate the presence of vegetation (free online resources include [Queensland Globe](#), [QImagery](#)). Access the imagery at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QImagery').
- Queensland Elevation DEM Public Time Series Service (free online from [QSpatial](#)). This data is an elevation service that displays the latest, highest resolution, ortho Digital Elevation Model (DEM) data captured by remotely piloted aircraft systems (drones), piloted aircraft, and the Shuttle Radar Topography Mission (SRTM) over areas of Queensland. Elevation layers available for free within [Queensland Globe](#) may also be useful (Contours, Hillshade and Mountains). These layers may be beneficial to demonstrate changes in surface level and may provide evidence of the defining banks of watercourses and drainage features. However, depending on the location of clearing, the available data, the topography and density of vegetation, the data may not capture changes in elevation that would enable the detection of the defining bank. Accordingly, some ground truthing may be required. Access the data at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QSpatial').
- Topographic mapping and regional ecosystem mapping: to confirm the location and extent of riparian wetland vegetation associated with a mapped watercourse and drainage features (free online resources include [Queensland Globe](#), and [QSpatial](#)). Access the mapping at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QSpatial').
- [Regional Ecosystem Description Database](#): The long description of a regional ecosystem may identify whether the vegetation is riparian vegetation, or a palustrine or lacustrine regional ecosystem. Access or download the database at [www.qld.gov.au](http://www.qld.gov.au) (search for 'regional ecosystem description database').
- Geology mapping: to identify any geological features that may verify changes in water flow, constriction, or vegetation types (free online resources include [Queensland Globe](#), and [QSpatial](#)). Access the mapping at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QSpatial').
- [BioCondition Site Assessment Manual](#): helpful in describing the composition, structure and function of regional ecosystems. Access the manual at [www.qld.gov.au](http://www.qld.gov.au) (search for 'BioCondition Site Assessment Manual').
- See Appendix 8 'Soil Erosion'.
- Erosion and Sediment Control: for further guidance on developing an erosion and sediment control plan:
  - Information about erosion and preventing and managing erosion can be found on the Queensland State Government website:  
<https://www.qld.gov.au/environment/land/management/soil/erosion/guidelines>
  - Refer to federal or state government agency published advice or guides such as the Soil Conservation Guidelines for Queensland (3<sup>rd</sup> edition), Queensland Soil and Land Resource Survey Information Guideline or Best Practice Erosion and Sediment Control, IECA, 2008.
- See Appendix 11 'Rehabilitation'.
- See Appendix 13 'Significant Residual Impacts (SRIs) and Environmental Offsets'.

## Need more help?

- Seeking pre-lodgement advice with the SARA before lodging a development application is strongly recommended. This will identify any potential issues or additional information requirements. This is particularly important for those applications that are likely to require rehabilitation or environmental offsets to meet the POs.



*For more detailed information about the role of SARA and seeking pre-lodgement advice, visit*

*<https://planning.statedevelopment.qld.gov.au/planning-framework/state-assessment-and-referral-agency>*

- If it is likely that the proposal is a controlled action under the *Environment Protection and Biodiversity Conservation Act 1999*, early advice should be sought from the relevant Commonwealth agency.
- For information on environmental offsets see Appendix 13 'Significant Residual Impacts (SRIs) and Environmental Offsets'.
- For assistance with vegetation management queries, including assistance with obtaining accessing information resources such Queensland Globe, please contact the Veg Hub on phone 135 834 or email [vegetation@resources.qld.gov.au](mailto:vegetation@resources.qld.gov.au)
- It may be appropriate to hire an environmental or planning consultant to assist in preparing this assessment. Further information on finding and choosing the right consultant is available online at [www.qld.gov.au](http://www.qld.gov.au) search 'Finding an environmental consultant'.

# Appendix 5: Essential habitat

(PO16, PO17, PO29, PO30, PO44, PO45, PO60, PO61, PO77, PO78, PO90, PO91, PO111, PO112, PO113, PO114, PO140, PO141)

Essential habitat is an important biodiversity value protected under the VMA.

Essential habitat is the habitat of native wildlife prescribed under the *Nature Conservation Act 1992* as endangered, vulnerable or near-threatened (protected wildlife).

Under the VMA, essential habitat for protected wildlife is a category A area, a category B area or category C area shown on the Regulated Vegetation Management Map:

1. that has at least 3 essential habitat factors for the protected wildlife that must include any essential habitat factors that are stated as mandatory for the protected wildlife in the essential habitat database; or
2. in which the protected wildlife, at any stage of its life cycle, is located.

Essential habitat database is a database, listing essential habitat factors for protected wildlife, certified by the chief executive as an essential habitat database.

An essential habitat factor, for protected wildlife, is a component of the wildlife's habitat, including, for example, a landform, pollinator, regional ecosystem, soil and water, that is necessary or desirable for the wildlife at any stage of its lifecycle. Regional ecosystems are a mandatory essential habitat factor, unless stated otherwise.

In circumstances where an area is mapped as essential habitat for more than one protected wildlife species regulated under the VMA framework, the application will need to provide detail on each plant and animal species individually.

## Identifying essential habitat

When you request a Vegetation Management Property Report for your lot, essential habitat for protected wildlife will include suitable habitat on the lot, or where a species has been known to occur up to 1.1 km from the sighting.

The following information is included in a Vegetation Management Property Report to help you identify essential habitat:

- information on how essential habitat is calculated and if it has been identified on the lot.
- information about the protected wildlife species captured by the essential habitat areas on the lot.
- the Vegetation Management Supporting Map shows any essential habitat on the lot as blue hatching

To obtain a Vegetation Management Property Report, use the online request form at [www.qld.gov.au](http://www.qld.gov.au) (search for 'vegetation management maps'). Alternatively, the layers can be viewed in [QLD Globe](http://QLD Globe) or downloaded from <https://qldglobe.information.qld.gov.au>

**TIP** *You will need a lot number and plan number to request a Property Report. These numbers can be obtained through QLD Globe by using the Parcel Label layer.*

## Koalas (*Phascolarctos cinereus*)

POs in the code relating to essential habitat exclude essential habitat for *Phascolarctos cinereus* (koalas) where the development is assessable development under the koala protection framework. That is, the PO still applies however the assessment will not consider essential habitat for koalas to the extent any essential habitat areas for koala are assessable development under the koala protection framework.

Assessable development under the koala protection framework is development that is assessable under Schedule 10, Part 10 of the Planning Regulation 2017.

In circumstances where essential habitat for koala is not assessable development under the koala protection framework, essential habitat for koala will be included and assessed under the essential habitat POs.

In circumstances where an area is mapped as both essential habitat for koala (that is assessable development under the koala protection framework) and another protected wildlife species, the assessment under the essential habitat POs will only consider the other protected wildlife species.

## Information resources to assist in assessment

The following resources may be appropriate:

- See Part 1 'Vegetation Management maps' for maps and data, including a Vegetation Management Property Report providing excerpts from the Essential Habitat Database showing the protected wildlife species present on the lot and the location of the species.
- [WildNet database](#): find species information for Queensland's native and naturalised plants and animals. Access the database online at [www.qld.gov.au](http://www.qld.gov.au) (search for 'WildNet database').
- The [Species Profile and Threats Database](#): helpful to obtain information on species that are listed under the *Environment Protection and Biodiversity Conservation Act 1999* to be compared against taxonomy, State and Territory Government listing status and location data. Access the database online at <https://environment.gov.au/sprat-public/action/report>
- Imagery: to demonstrate the presence of vegetation (free online resources include [Queensland Globe, QImagery](#)). Access the imagery at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QImagery').
- Topographic, geographic and regional ecosystem mapping: to confirm the likely presence of essential habitat factors for protected wildlife (free online resources include [Queensland Globe](#), and [QSpatial](#)). Access the mapping at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QSpatial').
- [Regional Ecosystem Description Database](#): Provides technical descriptions of regional ecosystems (regional ecosystems being an essential habitat factor). Access or download the database at [www.qld.gov.au](http://www.qld.gov.au) (search for 'regional ecosystem description database').
- Geology mapping: to identify any geological features that may verify changes in water flow, constriction, or vegetation types (free online resources include [Queensland Globe](#), and [QSpatial](#)). Access the mapping at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QSpatial').
- [BioCondition Site Assessment Manual](#): helpful in describing the composition, structure and function of regional ecosystems. Access the manual at [www.qld.gov.au](http://www.qld.gov.au) (search for 'BioCondition Site Assessment Manual').

- See Appendix 11 'Rehabilitation'.
- See Appendix 13 'Significant Residual Impacts (SRIs) and Environmental Offsets'.

## Need more help?

- Seeking pre-lodgement advice with the SARA before lodging a development application is strongly recommended. This will identify any potential issues or additional information requirements. This is particularly important for those applications that are likely to require rehabilitation or environmental offsets to meet the POs.



*For more detailed information about the role of SARA and seeking pre-lodgement advice, visit*

<https://planning.statedevelopment.qld.gov.au/planning-framework/state-assessment-and-referral-agency>

- Further information on protected wildlife species under the *Nature Conservation Act 1999* is available online at [www.qld.gov.au](http://www.qld.gov.au) search 'Threatened Species', or by contacting the Department of Environment and Science on 13 QGOV (13 74 68).
- If it is likely that the proposal is a controlled action under the *Environment Protection and Biodiversity Conservation Act 1999*, early advice should be sought from the relevant Commonwealth agency.
- Further information on the environmental offsets framework (including offset delivery policies, guides and calculators, and advanced offsets and environmental offset providers) is available online at [www.qld.gov.au](http://www.qld.gov.au) search 'Environmental Offsets', or by contacting the Department of Environment and Science on 13 QGOV (13 74 68) or email [offset@des.qld.gov.au](mailto:offset@des.qld.gov.au)
- For assistance with vegetation management queries, including assistance with obtaining accessing information resources such Queensland Globe, please contact the Veg Hub on phone 135 VEG (135 834) or email [vegetation@resources.qld.gov.au](mailto:vegetation@resources.qld.gov.au)

# Appendix 7: Salinity

(PO11, PO26, PO41, PO57, PO72, PO87, PO110, PO131, PO139)

Salinity is the presence of salts (such as sodium chloride, magnesium and calcium sulfates) and bicarbonates, in soil and water. Saline soils occur naturally in parts of Queensland from coastal to inland areas. Naturally occurring salinity is referred to as primary salinity. Examples of naturally occurring saline areas include salt lakes, salt pans, salt marshes and salt flats. However, salinity can be induced by land management practices that change the way water and salt move in the landscape – this is referred to as secondary salinity. It can occur in grazing lands, cropping lands and urban areas.

Salinity can be challenging to manage because the expression of the problem can occur decades after the initiation and effects may occur some distance from where the causes originated. The harmful effects of salinity include lost agricultural production, poor water quality, loss of biodiversity and damage to infrastructure and urban areas.

Images 1 and 2 below show an example of an area where salinity indicators are easily identifiable. Salt accumulations on the surface (often white and powdery, sometimes crystalline) and soil scalding. The regional ecosystems mapped in this example are: 4.9.1 and 4.3.15/4.3.4, being:

- Regional ecosystem 4.9.1 “Occurs on flat to gently undulating plains formed from fine grained Cretaceous sediments. Soils generally moderately deep to deep grey, brown and red cracking clays with self-mulching surface of high fertility.”
- Regional ecosystem 4.3.15 “Occurs on alluvial plains, immediately above drainage lines. Soils moderately deep to deep, red and brown clays. The surface is usually crusting.”
- Regional ecosystem 4.3.4 “Occurs on fringes of drainage lines, sometimes braided, within clay and limestone landscapes. Soils deep, grey and brown cracking clays.”



**Images 1 and 2: Example of salinity**

Under the code, an area where salinity indicators are present is referred to as a “salinity expression area”. Relevant definitions under the code include:

- “salinity” means waterlogging or the salinisation of groundwater, surface water or soil.
- “salinity expression area” means an area containing more than one of the following salinity indicators:



- plant species tolerant of saline conditions<sup>15</sup>, shallow water tables<sup>16</sup> or poor drainage (waterlogging);
  - wet areas in lower parts of the landscape or bare soil (soil scalding);
  - dieback of larger trees in low, wetter parts of the landscape (outside drought conditions or the effects of fire);
  - salt accumulations on the surface (often white and powdery, sometimes crystalline);
  - areas of shallow groundwater.
- “land degradation” includes any of the following:
    - soil erosion;
    - rising water tables;
    - the expression of salinity;
    - mass movement by gravity of soil or rock;
    - stream bank instability;
    - a process that results in declining water quality;
    - disturbance of acid sulfate soils.
  - “waterlogging” means to soak or saturate with water.
  - “salinisation” means the process of salts accumulating in soils or waters.
  - “groundwater” means water occurring below the surface of the ground.

## Addressing performance outcomes (POs)

If clearing for the proposed development meets the requirements of the AO the PO is met. However, if the clearing for the proposed development cannot meet the AO, a more robust assessment addressing the PO must be provided in the application.

### Acceptable outcome

This AO can be met by satisfying all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify whether any salinity expression areas exist within the proposed clearing areas or within 100 metres of any proposed clearing. That is, an area containing more than one of the following salinity indicators:

---

<sup>15</sup> For example—*Melaleuca* spp. (in particular *Melaleuca bracteata* and *Melaleuca quinquenervia*), *Sporobolus* spp. (saltwater or marine couch), *Salsola kali* (soft roly-poly), *Sclerolaena* spp. (in particular prickly roly-poly), *Cyperus* spp. (sedges), *Juncus* spp. (rushes), *Atriplex* spp. (saltbushes), *Halosarcia* spp. (samphires), *Chloris* spp. (Rhodes grasses), *Enchylaena tomentosa* (ruby saltbush), *Sesuvium portulacastrum* (purslane), *Tecticornia* spp. (samphires), *Phragmites* spp.

<sup>16</sup> A water table less than 5 metres from the surface would generally be considered as shallow for this purpose. One mechanism to identify this is from a nearby bore.

- a. plant species tolerant of saline conditions<sup>17</sup>, shallow water tables<sup>18</sup> or poor drainage (waterlogging);
  - b. wet areas in lower parts of the landscape or bare soil (soil scalding);
  - c. dieback of larger trees in low, wetter parts of the landscape (outside drought conditions or the effects of fire);
  - d. salt accumulations on the surface (often white and powdery, sometimes crystalline);
  - e. areas of shallow groundwater.
3. Demonstrate that no clearing will occur within 100 metres of any salinity expression area.

### Performance outcome

Where the clearing does not meet the AO, the application must address the PO. The application should include all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Identify whether any salinity expression areas exist within the proposed clearing areas or within 100 metres of any proposed clearing. That is, an area containing more than one of the following salinity indicators:
  - a. plant species tolerant of saline conditions<sup>19</sup>, shallow water tables<sup>20</sup> or poor drainage (waterlogging);
  - b. wet areas in lower parts of the landscape or bare soil (soil scalding);
  - c. dieback of larger trees in low, wetter parts of the landscape (outside drought conditions or the effects of fire);
  - d. salt accumulations on the surface (often white and powdery, sometimes crystalline);
  - e. areas of shallow groundwater.
3. Provide all of the following for any proposed clearing areas within 100 metres of a salinity expression area (where applicable):
  - a. Soil types and landform (including slope);
  - b. Presence of primary or secondary salinity or waterlogging in or immediately adjacent to the proposed clearing areas;

<sup>17</sup> For example—*Melaleuca* spp. (in particular *Melaleuca bracteata* and *Melaleuca quinquenervia*), *Sporobolus* spp. (saltwater or marine couch), *Salsola kali* (soft roly-poly), *Sclerolaena* spp. (in particular prickly roly-poly), *Cyperus* spp. (sedges), *Juncus* spp. (rushes), *Atriplex* spp. (saltbushes), *Halosarcia* spp. (samphires), *Chloris* spp. (Rhodes grasses), *Enchylaena tomentosa* (ruby saltbush), *Sesuvium portulacastrum* (purslane), *Tecticornia* spp. (samphires), *Phragmites* spp.

<sup>18</sup> A water table less than 5 metres from the surface would generally be considered as shallow for this purpose. One mechanism to identify this is from a nearby bore.

<sup>19</sup> For example—*Melaleuca* spp. (in particular *Melaleuca bracteata* and *Melaleuca quinquenervia*), *Sporobolus* spp. (saltwater or marine couch), *Salsola kali* (soft roly-poly), *Sclerolaena* spp. (in particular prickly roly-poly), *Cyperus* spp. (sedges), *Juncus* spp. (rushes), *Atriplex* spp. (saltbushes), *Halosarcia* spp. (samphires), *Chloris* spp. (Rhodes grasses), *Enchylaena tomentosa* (ruby saltbush), *Sesuvium portulacastrum* (purslane), *Tecticornia* spp. (samphires), *Phragmites* spp.

<sup>20</sup> A water table less than 5 metres from the surface would generally be considered as shallow for this purpose. One mechanism to identify this is from a nearby bore.

- c. Salinity levels in soil, surface water and groundwater (< 20 metres in depth) in or immediately adjacent to the proposed clearing areas;
  - d. Land suitability for the proposed post-clearing land use in the area being cleared;
  - e. Expected hydrologic impact in the context of salinity processes.
4. Demonstrating how clearing of vegetation within 100 metres of a salinity expression area will not contribute to or accelerate land degradation through waterlogging or the salinisation of groundwater, surface water or soil.

## Information resources to assist in assessment

The following resources may be appropriate:

- Salinity Management Handbook: second edition, Department of Environment and Resource Management, 2011 available online [www.publications.qld.gov.au](http://www.publications.qld.gov.au) search 'salinity management handbook'. This document provides additional information and context to salinity indicators. Key pages include:
  - page 39 – Chapter 6, Landscape Characteristics and Salinity Mapping
  - page 49 – Chapter 7, Vegetation
  - page 55 – Chapter 8, Climate and Rainfall Patterns
- Imagery: to demonstrate the presence of salinity indicators (free online resources include [Queensland Globe](#), [QImagery](#)).
- QLD Globe layers are also useful to provide evidence of the above salinity indicators:
  - Imagery (check past imagery button for capture date details)
  - Geoscientific information- detailed surface geology
  - Contours
  - Inland waters, Groundwater, Registered water bores (DRDMW and private)
  - Soils mapping and soil site data is available to view through the Soils Globe. Datasets have been grouped by survey type and scale, and listed by project code.
- Australian Government Bureau of Meteorology Climate Data Online: helpful to obtain rainfall data (<http://www.bom.gov.au/climate/data>)
- Soil data available online at [www.qld.gov.au](http://www.qld.gov.au) search 'soils data'.
- Land suitability mapping available online at [www.qld.gov.au](http://www.qld.gov.au) search 'land suitability maps'.
- *Queensland Soil and Land Resource Survey Information Guideline*, Department of Resources, 2021 available online at [www.qld.gov.au](http://www.qld.gov.au) (search 'Guidelines for coordinated projects involving clearing for agriculture').
- [Regional Ecosystem Description Database](#): To identify the nature of the vegetation expected in the clearing area, and any plant species tolerant of saline conditions. Access or download the database online at [www.qld.gov.au](http://www.qld.gov.au) (search 'regional ecosystem description database').

## Need more help?

- Seeking pre-lodgement advice with the SARA before lodging a development application is strongly recommended. This will identify any potential issues or additional information requirements.



*For more detailed information about the role of SARA and seeking pre-lodgement advice, visit*

*<https://planning.statedevelopment.qld.gov.au/planning-framework/state-assessment-and-referral-agency>*

- For assistance with vegetation management queries, including assistance with obtaining accessing information, please contact the Veg Hub on phone 135 VEG (135 834) or email [vegetation@resources.qld.gov.au](mailto:vegetation@resources.qld.gov.au)

# Appendix 8: Soil Erosion

(PO10, PO25, PO40, PO56, PO71, PO86, PO109, PO124, PO130, PO138, PO151)

All soils are subject to erosion, but in nature the rate of erosive soil loss broadly equates to the rate of soil formation. Activities that increase the exposure of the soil surface to rainfall, runoff or wind are likely to accelerate the rate of soil erosion in excess of the rate of soil formation. The scenario whereby the soil becomes progressively shallower is not sustainable, particularly as the lost surface soil is the main source of most plant nutrients. Reductions in soil depth will affect the capacity of the soil to store water for plant use. Both of these outcomes will have significant, adverse effects on crop or pasture growth and yields, and general soil health.

Soils differ in their susceptibility to erosion, which is commonly referred to as their erodibility. The erodibility of a soil will depend on a wide range of factors, such as the particle size distribution in the soil, the organic matter content, the mineralogy of the clay fraction, the soil permeability, and soil structure and cohesiveness.

Due to certain intrinsic chemical and physical attributes, subsoils are generally more erodible than surface soils. Hence, once the surface soils are lost, the rate of soil loss will often accelerate. This can result in serious land management issues, such as the formation of large gullies.

Where there are highly dispersible subsoils present, subsoil erosion can occur even without the removal of surface soil. Anything that may allow the rapid ingress of water into the subsoil, such as the installation of underground services or fence posts, or where the surface soil remains attached to the root bole during clearing operations, can provide conditions that may result in tunnel erosion or piping. These forms of erosion often occur in association with a single rainfall event, and can be extensive.

The fate of eroded soil is also important. In the erosion process the soil components become entrained in runoff, either in suspension or as bedload material. At some point between the site of that erosion and the sea, the transported material will be deposited, either temporarily or permanently.

While some of that deposition might initially take place in close proximity to the source, the movement of sediment across the landscape and into watercourses can affect other land and will inevitably impact on water quality. Thus the impacts of soil erosion are not confined to the site of that erosion.

In relation to the clearing of native vegetation, the reduction in protective ground cover (e.g. cover foliage, leaf litter etc.) post-clearing is the most significant factor affecting accelerated rates of erosion and sedimentation.

The code ensures that measures are employed to prevent or rectify the accelerated rates of soil loss and sediment movement resulting from the clearing of native vegetation.

Relevant definitions under the code include:

- “accelerated soil erosion” means soil erosion that exceeds the natural level and that occurs as a direct result of human activity.
- “soil erosion” means mass movement, gully erosion, rill erosion, sheet erosion, tunnel erosion, stream bank erosion, wind erosion, or scald; and any associated loss of chemical, physical or biological fertility – including, but not limited to water holding capacity, soil structure, organic matter, soil biology, and nutrients.
- “mass movement” is a landslip, earthflow, landslide, rock avalanche or soil creep

- “gully erosion” means the removal of soil by water creating large incised channels more than 30 centimetres in depth.
- “rill erosion” means the removal of soil by runoff water to create small channels up to 30 centimetres deep.
- “sheet erosion” is the removal of a relatively uniform layer of soil from the surface with generally no obvious channel created.
- “stream bank erosion” means the removal of soil from a stream bank, typically during periods of high stream flow.
- “wind erosion” means the movement of soil by wind.
- “scald” means a bare area formed when the surface soil is removed by wind or water erosion, exposing a more clayey subsoil which is devoid of vegetation and relatively impermeable to water.
- “soil erosion and instability” means the occurrence of gully erosion greater than 30 centimetres in depth, landslips, a scarp, soil scalding or stream bank slumping.

Some AOs require an Erosion and Sediment Control Plan (ESCP). The ESCP needs to adequately address the potential for and management of erosive soil loss and sediment movement and deposition in the context of:

- clearing operations;
- post-clearing or post development land use;
- on-site impacts; and
- off-site impacts.

Under the code, an ESCP must include all of the following:

1. The presence and location of any accelerated soil erosion within the proposed development area.
2. The rates of soil and sediment movement prior to the proposed development.
3. The estimated rates of soil loss and sediment movement after the proposed development.
4. The recognised best practice methods that will be employed to:
  - a. ensure rates of soil loss and sediment movement are the same or less than those prior to the proposed development; and
  - b. prevent increased soil erosion resulting from the clearing; and
  - c. prevent increased sediment run-off entering a wetland, watercourse or drainage feature as a result of the clearing; and
  - d. stabilise soil erosion which results from clearing.
5. A map showing where recognised best practice methods will be used within and around the proposed development area to address points 4(a) to 4(d) above.

**TIP** *Under the code, “recognised best practices method” means a method to mitigate accelerated soil erosion, recognised by any of the following:*

- a Federal or State government agency published advice or guide, such as the *Soil Conservation Guidelines for Queensland (3rd edition)* available online at [www.qld.gov.au](http://www.qld.gov.au) (search “Soil Conservation Guidelines Queensland”); or
- the *Best Practice Erosion and Sediment Control Document*, IECA, 2008 available online at <https://www.austieca.com.au/publications/best-practice-erosion-and-sediment-control-bpesc-document>

The following provides some further guidance on the content and level of detail in a ESCP. The level of detail required within the ESCP will vary depending on the complexity of the development and the soil loss and sediment movement risk associated with the development application. The ESCP must provide sufficient detail to demonstrate that erosion control is feasible and practicable.

In the ESCP the **description of the existing environment** should include all the following:

1. Climatic conditions (both long term and those likely to be experienced during and immediately after the proposed clearing operations), including intensity frequency duration data tables for the site.
2. Site topography (in particular slope gradients, orientations and lengths).
3. Soil types, characteristics and attributes.
4. Site hydrology and drainage.
5. Existing vegetation.
6. Any existing soil erosion or similar soil or land degradation.

In the ESCP the **description of the proposed land clearing and future use of the land** should include all of the following:

1. The nature or method and staging of the proposed land clearing.
2. The proposed post-clearing land use(s).
3. The physical extents and characteristics of the area that will be disturbed during or in association with the proposed development.
4. A suitably detailed site plan showing:
  - a. disturbance areas.
  - b. existing slope gradients and orientations and/or elevation contours.
  - c. the extents of identified soil types and vegetation communities.
  - d. natural drainage lines and watercourses (including all first or higher order streams identified in departmental mapping).

In the ESCP an **erosion hazard and risk assessment** should include all of the following elements:

1. A spatial and temporal assessment of the erosion hazards associated with the proposed development,
2. A risk assessment complementing the hazard assessment, including a clear linkage between the assessed risk and the requisite control measures and design criteria that are to be applied to mitigate the identified risks.

3. An erosion risk map including zones differentiating the areas associated with different erosion risks and any areas where soil disturbance is to be avoided (i.e. areas where the erosion risk is too high to disturb).

In the ESCP the **description of the erosion and sediment control measures** should cover both the land clearing phase and the subsequent land use or uses to be undertaken in the cleared area. The description of the control measures should include all the following where applicable:

1. The associated performance criteria, such as design storm frequencies and durations, exceedance probabilities, recurrence intervals, maximum design velocities, maximum design discharges, flowpath roughness, bed slopes, settling velocities, analyse concentrations and other quantitative standards applicable to the various elements of the system design.
2. Engineering design calculations and suitably detailed design drawings for all permanent and temporary drainage, erosion and sediment control measures, including all of the following, where applicable:
  - a. clean water diversion banks.
  - b. runoff control ('contour') banks.
  - c. waterways and drains.
  - d. any sedimentation systems.
  - e. any other structures providing for the temporary or permanent impoundment of runoff water.
  - f. outlet structures, weirs, by-washes and spillways.
  - g. culverts, causeways and drains.
  - h. energy dissipation structures.
  - i. pre and post-clearing discharge hydrographs for the discharge points on the property boundary.
  - j. the construction materials used in any structures.
3. Details of any chemicals or ameliorants that might be applied to stabilise soil or to flocculate suspended particulates in any runoff, as well as applicable dosing or application methods and rates.
4. A suitably detailed site plan showing the locations of all of the following, where applicable:
  - a. all the structures – both temporary and permanent – identified above.
  - b. any soil stockpiles – either temporary or permanent.
  - c. the nominated discharge points for runoff from the site.
5. The nature and form of any revegetation, rehabilitation or re-stabilisation
6. Details and the scheduling for all of the following:
  - a. the removal of any temporary erosion and sediment control measures.
  - b. the undertaking of any proposed revegetation, rehabilitation or re-stabilisation measures.
7. Details of how the above measures address the identified hazards and risks, and how those measures align with the elements of the SECP.

In the ESCP the **description of the proposed monitoring program** should include all of the following, where applicable:



1. Timing or frequency and the locations of sites at which monitoring data and samples will be collected.
2. Pro forma checklists and forms to be used in the monitoring process.
3. The chemical and physical analyses proposed to be undertaken on any samples collected (including references to recognised standard laboratory methods).
4. The nature of the accreditation held by any chemical or physical analysis laboratory undertaking the specified tests.
5. The way in which monitoring data is to be used to determine the effectiveness of the ESCP, with particular reference to the metrics and measures that are to be in establishing the success or shortcomings of the ESCP.
6. The process by which the ESCP might be revised and modified to reflect any identified deficiencies.

### Information resources to assist in assessment

The following resources may be appropriate:

- Imagery: to demonstrate the presence of vegetation (free online resources include [Queensland Globe, QImagery](#)). Access the imagery at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QImagery').
- Queensland Elevation DEM Public Time Series Service (free online from [QSpatial](#)). This data is an elevation service that displays the latest, highest resolution, ortho Digital Elevation Model (DEM) data captured by remotely piloted aircraft systems (drones), piloted aircraft, and the Shuttle Radar Topography Mission (SRTM) over areas of Queensland. Access the data at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QSpatial').
- Topographic mapping and regional ecosystem mapping: to confirm the location and extent of vegetation within the clearing area. Access the mapping at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QSpatial').
- [Regional Ecosystem Description Database](#): Access or download the database at [www.qld.gov.au](http://www.qld.gov.au) (search for 'regional ecosystem description database').
- Geology mapping: to identify any geological features that may verify changes in water flow, constriction, or vegetation types (free online resources include [Queensland Globe](#), and [QSpatial](#)). Access the mapping at [www.qld.gov.au](http://www.qld.gov.au) (search for 'Queensland Globe' and 'QSpatial').
- Erosion and Sediment Control: for further guidance on developing an erosion and sediment control plan:
  - Information about erosion and preventing and managing erosion can be found on the Queensland State Government website: <https://www.qld.gov.au/environment/land/management/soil/erosion/guidelines>
  - a Federal or State government agency published advice or guide, such as the Soil Conservation Guidelines for Queensland (3rd edition) available online at [www.qld.gov.au](http://www.qld.gov.au) (search "Soil Conservation Guidelines Queensland"); or
  - the Best Practice Erosion and Sediment Control Document, IECA, 2008 available online at <https://www.austieca.com.au/publications/best-practice-erosion-and-sediment-control-bpesc-document>

- See the *Queensland Soil and Land Resource Survey Information Guideline*, Department of Resources, 2021 available online at [www.qld.gov.au](http://www.qld.gov.au) (search 'Guidelines for coordinated projects involving clearing for agriculture').

## Need more help?

- Seeking pre-lodgement advice with the SARA before lodging a development application is strongly recommended. This will identify any potential issues or additional information requirements.



*For more detailed information about the role of SARA and seeking pre-lodgement advice, visit*

<https://planning.statedevelopment.qld.gov.au/planning-framework/state-assessment-and-referral-agency>

- For assistance with vegetation management queries, including assistance with obtaining accessing information, please contact the Veg Hub on phone 135 VEG (135 834) or email [vegetation@resources.qld.gov.au](mailto:vegetation@resources.qld.gov.au)

# Appendix 12: Better Environmental Outcomes

(PO1, PO2)

Where a development proposes to develop an area that is a Particular Regulated Area and / or an area subject to a Notice Requiring Compliance, PO1 and PO2 of the code requires a Better Environmental Outcome be provided in exchange for the impacted area where the proposed clearing is not consistent with any Notice Requiring Compliance or any vegetation management requirements for Particular Regulated Areas.

A “Better Environmental Outcome” means an environmental outcome provided on land in exchange for an area to be developed which is a Particular Regulated Area, or is subject to a Notice Requiring Compliance, and is legally secured using a Declared Area (Voluntary)<sup>21</sup> before:

1. the commencement of works; and
2. prior to any amendment, partial discharge or discharge of any Notice Requiring Compliance or instrument securing a Particular Regulated Area.

An area subject to a Notice Requiring Compliance is an area subject to one or more of the following:

- a Restoration Notice under the VMA;
- a Stop Work Notice under the VMA;
- a Land Act Notice under the *Land Act 1994*;
- a Trespass Notice under the *Land Act 1994* where the trespass related act is the clearing of vegetation; or
- an Enforcement Notice under the *Planning Act 2016*.

A Particular Regulated Area is an area that is one or more of the following:

- an Exchange Area under the VMA;
- an unlawfully cleared area under the VMA;
- a Declared Area (Voluntary) under section 19F of the VMA, other than to legally secure an environmental offset; and
- on a PMAV, shown to be a category A area, where the chief executive of the VMA reasonably believed that a vegetation clearing offence had been or was being committed.

Vegetation management requirements for Particular Regulated Areas means any conditions, restrictions, management requirements or outcomes identified in a particular regulated area which must be undertaken or complied with to achieve compliance with the particular regulated area. Sometimes these requirements will be evident, for example requirements or outcomes in a management plan. Other times the purpose of the Particular Regulated Area will need to be considered. For example, where the chief executive of the VMA made an area a category A area on a PMAV. In these circumstances, regulation of the area under the VMA framework is intended to restrict clearing in the area under the VMA framework for the purposes of the Act (i.e. to conserve remnant vegetation, prevent loss of biodiversity, maintain ecological processes etc.). A Better Environmental Outcome may be

---

<sup>21</sup> See section 19F of the *Vegetation Management Act 1999*.

appropriate in these circumstances where the proposed development is inconsistent with the intended purpose to afford greater protection to the environmental values (i.e. category A areas being areas subjected to greater regulation to conserve the environmental values and / or allow natural regeneration of the environmental values).

Some clearing purposes that are intended to improve the quality of the regional ecosystem, such as weed management and managing thickened vegetation, are more likely to be consistent with a Notice Requiring Compliance or vegetation management requirements for Particular Regulated Areas. Other clearing purposes intended to permanently remove vegetation, such as clearing for infrastructure, will likely be inconsistent requiring a Better Environmental Outcome be provided.

A Better Environmental Outcome is an environmental outcome provided on land in exchange for the development of an area that is a Particular Regulated Area, or an area subject to a Notice Requiring Compliance (impact area), and:

1. is located in a category X area;
2. contains a predominate vegetative layer which is at least two meters in height;
3. achieves the requirements for one of the applicable Better Environmental Outcome options below (see Table 1: 'Requirements and Options for Better Environmental Outcomes' below);
4. is legally secured using a Declared Area (Voluntary) before: the commencement of works; and prior to any amendment, partial discharge or discharge of any Notice Requiring Compliance or instrument securing a Particular Regulated Area;
5. is located within the same bioregion as the impacted area, or where it is not reasonably possible, located in an adjacent bioregion;
6. is configured in a way that maintains ecosystem functioning and remains in the landscape despite threatening processes;
7. is managed under a comprehensive management plan back to remnant vegetation (a category B area on the Regulated Vegetation Management Map) within a period of 20 years; and
8. is shown as a category A area on the Regulated Vegetation Management Map until the area becomes remnant vegetation and is mapped as a category B area on the Regulated Vegetation Management Map.



*For information on how to legally secure a Declared Area (Voluntary) visit the 'Development Approvals' webpage at [www.qld.gov.au](http://www.qld.gov.au) (search 'vegetation management').*

Table 1: Requirements and Options for Better Environmental Outcomes		Size
Where the impact area does not include a Restoration Notice, Enforcement Notice or Compliance Notice:		
<p>Option 1:</p> <p>The area to be used as the Better Environmental Outcome contains at least one of the following:</p> <ul style="list-style-type: none"> <li>the same pre-clear regional ecosystem/s as the impact area;</li> </ul> <p>OR</p> <ul style="list-style-type: none"> <li>a higher regional ecosystem status (e.g. <b>Endangered</b> or <b>Of Concern</b>) than the values of the impact area.</li> </ul>	Equal to double the impact area, or 1 hectare, whichever is the greater.	
<p>Option 2:</p> <p>The area to be used as the Better Environmental Outcome contains at least one of the following:</p> <ul style="list-style-type: none"> <li>within 50 metres of the defining bank of a watercourse on the Vegetation Management Watercourse and Drainage Feature Map.</li> </ul> <p>OR</p> <ul style="list-style-type: none"> <li>within 50 metres of the defining bank of a wetland</li> </ul> <p>OR</p> <ul style="list-style-type: none"> <li>on the Vegetation Management Wetland Map.</li> </ul> <p>OR</p> <ul style="list-style-type: none"> <li>in a location that creates a corridor between regional ecosystems that are mapped as either a category A area and/or a category B area on the Regulated Vegetation Management Map, which are each at least 4 hectares in size.</li> </ul> <p>OR</p> <ul style="list-style-type: none"> <li>an area that adjoins either an area mapped as a category A area and/or a category B area on the Regulated Vegetation Management Map which is at least 4 hectares in size.</li> </ul> <p>OR</p> <ul style="list-style-type: none"> <li>Another area of environmental significance to flora or fauna under other State or Commonwealth legislation.</li> </ul>	Equal to four times the impact area, or 1 hectare, whichever is the greater.	
Where the impact area includes a Restoration Notice, Enforcement Notice or Compliance Notice:		
<p>The area to be used as the Better Environmental Outcome contains all of the following:</p> <ul style="list-style-type: none"> <li>an area that is the same broad vegetation group and regional ecosystem status as the impact area.</li> <li>where the impact area is associated with a watercourse or wetland, associated with a watercourse or wetland.</li> <li>an area that is of suitable quality and can achieve a gain in habitat quality sufficient to compensate the impact area as assessed in accordance with the <b>Guide to determining terrestrial habitat quality, Methods for assessing habitat quality under the Queensland Environmental Offsets Policy, 1.3 February 2020.</b></li> </ul>	Equal to four times the impact area, or 1 hectare, whichever is the greater.	

## Addressing Performance Outcomes (POs)

There are no acceptable outcomes prescribed for the PO1 and PO2. The application will need to address each PO directly. The application should include all of the following:

1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.

- Determine if the development or clearing footprint for the proposed development is a Particular Regulated Area or an area subject to a Notice Requiring Compliance.



*Category A areas on the Regulated Vegetation Management Map or a PMAV may be indicative of some Particular Regulated Areas or some Notices Requiring Compliance.*

- Obtain details of any relevant Particular Regulated Areas and / or Notices Requiring Compliance.



*For information on any notice on title you can undertake a current title search. Title searches can be purchased by contacting Titles Queensland online at [www.titlesqld.com.au](http://www.titlesqld.com.au) or by calling (07) 3497 4379.*

*To confirm if any Particular Regulated Areas or Notices Requiring Compliance apply to a lot call the Department of Resources, Veg Hub on **135 VEG (135 834)**.*

- Establish whether the proposed development is consistent with Notice Requiring Compliance and / or consistent with the vegetation management requirements for the Particular Regulated Area. That is, will the requirements for any Notice Requiring Compliance and / or vegetation management requirements for any Particular Regulated Area still be met / achieved notwithstanding the proposed development?
- If the proposed development and clearing is not consistent with all relevant Notices Requiring Compliance and all vegetation management requirements for Particular Regulated Areas, the application needs to demonstrate how a Better Environmental Outcome can be achieved to meet the PO. Where a Better Environmental Outcome is required, the application must provide details of the Better Environmental Outcome proposed (that complies with the requirements and criteria in the code and this guide), and to demonstrate how the Better Environmental Outcome will be managed and achieved under a Better Environmental Outcome Management Plan. The Better Environmental Outcome Management Plan should include, but not be limited to, all of the following:
  - Property owner's details.
  - Description of the area/s the subject of the Better Environmental Outcome, including a map showing the location and extent.
  - Description of the works / management actions that will be undertaken, including the methods, timing, frequency, intended benefits etc.
  - The environmental values (identified as POs in the code) that will be protected / achieved.
  - The management outcomes proposed to protect / achieve the environmental values.
  - The works / management actions proposed to achieve the management outcomes. This should include detail on where, how and when the works / management actions will be undertaken.
  - Details demonstrating how the works / management actions will not increase land degradation.
  - Details of who is responsible for all works / management actions, and the estimated length of time the area/s will be managed.
  - Monitoring and auditing processes including adaptive management approaches to rectify any negative results from the monitoring and auditing processes.

- j. Record keeping process to retain appropriate records for the progress and effectiveness of all works / management actions, and monitoring and auditing processes. These records are not required to be submitted, however they must be made available to the Department of Resources upon request.

The level of detail required in a management plan will depend on the nature and scale of the activity being undertaken.

## Information resources to assist in assessment

The following resources may be appropriate:

- Regulated Vegetation Management Map and any PMAV that applies to the area the subject of the development and clearing footprint (in particular, any category A areas). For more information on mapping, refer to the earlier section in this guide titled “Vegetation Management mapping”.
- Undertake a current title search: Title searches can be purchased by contacting Titles Queensland online at [www.titlesqld.com.au](http://www.titlesqld.com.au) or by calling (07) 3497 4379.

## Need more help?

- Seeking pre-lodgement advice with the SARA before lodging a development application is strongly recommended. This will identify any potential issues or additional information requirements.



*For more detailed information about the role of SARA and seeking pre-lodgement advice, visit <https://planning.statedevelopment.qld.gov.au/planning-framework/state-assessment-and-referral-agency>*

- For assistance with vegetation management queries, including assistance with obtaining accessing information, please contact the Veg Hub on phone 135 VEG (135 834) or email [vegetation@resources.qld.gov.au](mailto:vegetation@resources.qld.gov.au)

# Appendix 13: Significant Residual Impacts (SRIs) and Environmental Offsets

The *Environmental Offsets Act 2014* framework provides for Environmental Offsets to compensate unavoidable impacts on prescribed environmental matters on one site, by securing land at another site, and managing that land over a period of time, to replace those prescribed environmental matters which were lost.

The *Planning Act 2016* framework interacts with the environmental offsets framework. The code (Purpose Statement and POs) regulates these prescribed environmental matters known as Matters of State Environmental Significance (MSES). In some circumstances, where a development proposes a SRI on a MSES, the code may allow the provision of an Environmental Offset to meet the PO. For the Vegetation Management framework (under the code), the MSES are as follows:

- Endangered or Of Concern regional ecosystems shown on the Vegetation Management Supporting Map.
- A wetland shown on the Vegetation Management Wetlands Map.
- An essential habitat area shown on the Essential Habitat Map for individual plant and animal species<sup>22</sup>.
- A watercourse as shown on the Vegetation Management Watercourse and Drainage Feature Map<sup>23</sup>.
- A connectivity area required for ecosystem functioning.

See Part 1 above 'Vegetation Management mapping' for guidance on how to access maps and data, and apply the vegetation management maps.

The Department of Environment and Science publishes an information sheet providing a helpful reference table that details: all MSES as defined in Schedule 2 of the Environmental Offsets Regulation 2014; the Act(s) or other statutory instrument(s) under which these matters are regulated; resources that assist in identifying their location; and comments to assist with assessment. This *Information Sheet: Resources for Matters of State Environmental Significance* is available online at: <https://www.qld.gov.au/environment/management/environmental/offsets/resources>

Where an Environmental Offset is proposed to meet a PO, the application should also provide all of the following information for each matter<sup>24</sup>:

---

<sup>22</sup> Where more than one species exists in an area mapped as essential habitat, offset obligations will be assessed and determined for the impact extent for each individual species separately regardless of any overlap in area. Co-location opportunities for land-based offset delivery may still be available if permitted under the environmental offsets framework.

<sup>23</sup> Although the code provides defined area and width restrictions in AOs to meet the POs for watercourse and drainage features, the extent of impact to define the MSES relies on the relevant distance prescribed by the Queensland Environmental Offsets Policy. Care should be taken to refer to the MSES as defined in the Environmental Offsets Regulation when identifying this MSES and the extent of the impact.

<sup>24</sup> Where more than one MSES exists in an area, offset obligations will be assessed and determined for the impact extent for each MSES separately regardless of any overlap in area. Co-location opportunities for land-based offset delivery may still be available if permitted under the environmental offsets framework.



1. Identify the location and extent of the development footprint including all areas of clearing to be assessed under the development application.
2. Demonstrate how the impact to the MSES from the proposed development (i.e. clearing and any potential future clearing as a result of the development approval) has first been reasonably avoided under the environmental offsets framework. Avoiding impacts to an MSES may be achieved through planning and site selection. For example, changing the route of an access road.
3. Demonstrate how the impact to the MSES from the proposed development (i.e. clearing and any potential future clearing as a result of the development approval) has then been reasonably mitigated under the environmental offsets framework. If avoidance cannot be reasonably achieved, the application must demonstrate that impacts have been carefully managed and minimised (mitigated). Mitigation measures are actions that lessen the adverse impacts from clearing on the MSES. For example, taking measures to manage and minimise land degradation as a result of the clearing.



*For further information and guidance on the environmental offsets 'avoid and mitigate' hierarchy see the Environmental Offsets Policy and Environmental Offsets General Guide available online at [www.qld.gov.au](http://www.qld.gov.au) search 'Environmental Offsets'.*

4. Details of how the resulting unavoidable impact for the MSES is a SRI in accordance with the *Significant Residual Impact Guideline, Department State Development, Infrastructure and Planning, 2014*.



*The Significant Residual Impact Guideline is available online at: <https://dsdmipprd.blob.core.windows.net/general/dsdip-significant-residual-impact-guideline.pdf>*

5. Whether the SRI is an acceptable impact under the environmental offsets framework.



*Environmental Offset legislation and related materials (including the Environmental Offsets Policy and Environmental Offsets General Guide) are available online at [www.qld.gov.au](http://www.qld.gov.au) search 'Environmental Offsets'.*

6. If the development is a controlled action under the *Environment Protection and Biodiversity Conservation Act 1999* (Cmth) (EPBC Act):
  - a. the status of an application under the EPBC Act (including any assessment officer contact details within that department);
  - b. a description of the matters to be, or that have been, assessed under the EPBC Act;
  - c. the description of impacts to be, or that have been, assessed under the EPBC Act; and
  - d. any offset requirements imposed under an EPBC Act approval decision.
7. How the impact on the MSES and the significance of the impact can likely be addressed through a suitable Environmental Offset. Where land-based offset is proposed, details to demonstrate there are sufficient available and suitable offset areas in the landscape.

8. Details of the proposed offset that achieves the required conservation outcome for the impacted matter and is compliant with the environmental offsets framework.

Where the proposed development includes an SRI for more than one prescribed environmental matter of MSES, in the event the offset/s are to be delivered by way of a financial settlement offset, it is important to establish whether the matter requires a separate Distinct Matter Area. The Environmental Offsets Policy provides principles for when separate Distinct Matter Areas are required. For example, a separate Distinct Matter Area is required for:

- each regional ecosystem;
- when considering offsets for protected wildlife species, each separate species functional group;
- when considering offsets for protected wildlife species, each protected wildlife species that have very specific habitat requirements (such as rocks for rock wallabies or caves for certain bat species); and
- wetlands.

Accordingly, where it is proposed that a Distinct Matter Area include more than one protected wildlife species, the application must also demonstrate why these species should be considered under the singular Distinct Matter Area in accordance with the Environmental Offsets Policy.

In some circumstances the environmental offsets framework avoids duplication of offset requirements across the various levels of government i.e. the Commonwealth, state and local governments. For more information about the relationship between Commonwealth, state and local government offsets, refer to the [Queensland Environmental Offsets Policy](#).

There are three offset delivery options under the environmental offsets framework:

- Proponent-driven offsets i.e. land-based offsets or a Direct Benefit Management Plan;
- Financial settlement offset; or
- A combination of both - a proponent-driven offset and financial settlement offset.

The Queensland Environmental Offsets Policy provides a single, consistent, whole-of-government policy for the assessment of offset proposals to satisfy offset conditions. When a land-based offset is proposed, the *Guide for Determining Terrestrial Habitat Quality, version 1.3, February 2020* provides a methodology for determining the habitat quality of proposed offsets sites. When a financial settlement offset is proposed, the Financial Settlement Offset Calculator can be used to calculate the offset.



*Further information on the environmental offsets framework (including offset delivery policies, guides and calculators, and advanced offsets and environmental offset providers) is available online at [www.qld.gov.au](http://www.qld.gov.au) search 'Environmental Offsets', or by contacting the Department of Environment and Science on 13 QGOV (13 74 68) or email [offset@des.qld.gov.au](mailto:offset@des.qld.gov.au)*

*All forms, templates, guidelines and other resources for Environmental Offsets are available online at:*

<https://www.qld.gov.au/environment/management/environmental/offsets/resources>

## Information resources to assist in assessment

The following resources may be appropriate:

- Environmental Offset legislation and related materials (including the Environmental Offsets Policy and Environmental Offsets General Guide) are available online at [www.qld.gov.au](http://www.qld.gov.au) search 'Environmental Offsets'.
- All forms, templates, guidelines and other resources for Environmental Offsets are available online at: <https://www.qld.gov.au/environment/management/environmental/offsets/resources>
- Significant Residual Impact Guideline, Department State Development, Infrastructure and Planning, 2014. The Significant Residual Impact Guideline is available online at: <https://dsdmipprd.blob.core.windows.net/general/dsdip-significant-residual-impact-guideline.pdf>
- To identify any existing legally secured offset areas:
  - Undertake a current title search. Title searches can be purchased by contacting Titles Queensland online at [www.titlesqld.com.au](http://www.titlesqld.com.au) or by calling (07) 3497 4379; and
  - Contact the Department of Environment and Science on 13 QGOV (13 74 68) or email [offset@des.qld.gov.au](mailto:offset@des.qld.gov.au)
- It may be appropriate to hire an environmental or planning consultant to assist in preparing this assessment. Further information on finding and choosing the right consultant is available online at [www.qld.gov.au](http://www.qld.gov.au) search 'Finding an environmental consultant'.

## Need more help?

- Seeking pre-lodgement advice with the SARA before lodging a development application is strongly recommended. This will identify any potential issues or additional information requirements. This is particularly important for those applications that are likely to require rehabilitation or environmental offsets to meet the Pos.



*For more detailed information about the role of SARA and seeking pre-lodgement advice, visit*

<https://planning.statedevelopment.qld.gov.au/planning-framework/state-assessment-and-referral-agency>

- If it is likely that the proposal is a controlled action under the *Environment Protection and Biodiversity Conservation Act 1999*, early advice should be sought from the relevant Commonwealth agency.
- Further information on the environmental offsets framework (including offset delivery policies, guides and calculators, and advanced offsets and environmental offset providers) is available online at [www.qld.gov.au](http://www.qld.gov.au) search 'Environmental Offsets', or by contacting the Department of Environment and Science on 13 QGOV (13 74 68) or email [offset@des.qld.gov.au](mailto:offset@des.qld.gov.au)
- For assistance with vegetation management queries, including assistance with obtaining accessing information resources such Queensland Globe, please contact the Veg Hub on phone 135 VEG (135 834) or email [vegetation@resources.qld.gov.au](mailto:vegetation@resources.qld.gov.au).

# Appendix 14: Principles for calculating limits for Reference Table 1 of the code

AOs for some environmental values may refer to width and / or area limits prescribed in reference table 1 of the code. These environmental values include:

- wetlands
- watercourses and drainage features
- Least Concern regional ecosystems for Temporary Use Areas
- Endangered and / or Of Concern regional ecosystems
- essential habitat
- maintaining the composition, structure and function of the regional ecosystem (for land restoration and natural disaster preparation).

When calculating these widths and / or area limits under reference table 1 of the code for any AO, the following principles apply.

## **Principles for calculating width limits:**

1. It may be necessary for a development to have more than one separate and distinct linear clearing footprint, for example, two separate and distinct roads, or a road and linear clearing for utilities. Widths will be calculated per linear clearing footprint.
2. There is no limit on the length of a linear clearing footprint under reference table 1 of the code.
3. Clearing widths must be calculated as total clearing for all relevant environmental value/s (the subject of the PO) combined for each linear clearing footprint. For example, where a linear clearing footprint will result in clearing of two or more adjacent regional ecosystems, the width of clearing at any point of the linear clearing footprint must be considered as total combined clearing, and this total combined clearing must not exceed the prescribed maximum widths of clearing under reference table 1 of the code. Accordingly, where the PO relates to Endangered and Of Concern regional ecosystems, the width of each linear clearing footprint will be calculated by adding the total clearing width for all Endangered and / or Of Concern regional ecosystems combined regardless of the differing regional ecosystem classes, and regardless of the number of Endangered and / or Of Concern regional ecosystems proposed to be cleared as part of the linear clearing footprint.
4. Where a development involves multiple development applications, limits considered under reference table 1 of the code may be assessed having regard to cumulative impacts for any development approval applying to the premises<sup>25</sup>.
5. Stacking width limits for a linear clearing footprint per regional ecosystem, regional ecosystem class, regional ecosystem structure category, protected species or infrastructure type to create wider widths is not consistent with the code. For example a linear clearing footprint that proposes

---

<sup>25</sup> See section 22(3)(d) of the Planning Regulation 2017.

to clear 10 metres in width in a mid-dense regional ecosystem and then a further 10 metres in a dense regional ecosystem (stacking 10 metres per regional ecosystem structure category) to create a total clearing width of 20 metres for the linear infrastructure is not compliant with reference table 1 of the code.

6. In circumstances where clearing is proposed in two or more regional ecosystems subject to differing width limits under reference table 1 (i.e. due to the regional ecosystems having differing regional ecosystem structure categories), at any point of the linear clearing footprint, the calculation of the width limit under reference table 1 must include the width of any clearing under the other regional ecosystem/s with the lesser width limit under reference table 1.

For example, where clearing at a point of the linear infrastructure will include clearing in a mid-dense regional ecosystem of 8 metres, the maximum width that can then be cleared in the adjacent sparse regional ecosystem for the linear infrastructure would be 12 metres given the maximum width for a sparse regional ecosystem under reference table 1 must not exceed 20 metres in width and must consider total clearing in all relevant regional ecosystems combined (i.e. must include the 8 metres in width for the mid-dense regional ecosystem).

Table 2 below demonstrates how the width limits for total combined clearing is calculated when the linear clearing footprint involves regional ecosystems with differing regional ecosystem structure categories to ensure compliance with the code:

**Table 2**

<b>Regional ecosystem structure category</b>	<b>Width limit (metres) under reference table 1 of the code</b>	<b>To ensure compliance with reference table 1 of the code the proposed development must be able to met <u>all</u> of the following:</b>
Dense	10m	Total clearing for all dense regional ecosystems and mid-dense regional ecosystems combined must not exceed 10m at any stage of the linear footprint.
Mid-dense	10m	AND Total clearing for all dense regional ecosystems, mid-dense regional ecosystems, sparse regional ecosystems and very sparse regional ecosystems combined must not exceed 20m at any stage of the linear footprint.
Sparse	20m	AND Total clearing for all dense regional ecosystems, mid-dense regional ecosystems, sparse regional ecosystems, very sparse regional ecosystems and grassland regional ecosystems combined must not exceed 25m at any stage of the linear footprint.
Very Sparse	20m	
Grassland	25m	

**Principles for calculating area limits:**

1. Clearing areas must be calculated as total clearing for all relevant environmental value/s (the subject of the PO) combined for the entire development regardless of the number of relevant regional ecosystems, number of clearing polygons / areas, and number of clearing purposes. Accordingly where the PO relates to Endangered and Of Concern regional ecosystems, the area of clearing will be calculated by adding the total clearing areas for all Endangered and / or Of Concern regional ecosystems combined for the entire development regardless of the differing regional ecosystem classes or clearing areas, and regardless of the number of Endangered and / or Of Concern regional ecosystems proposed to be cleared as part of the development clearing footprint.
2. Where a development involves multiple development applications, limits considered under reference table 1 of the code may be assessed having regard to cumulative impacts for any development approval applying to the premises<sup>26</sup>.
3. Stacking area limits per regional ecosystem, regional ecosystem class, regional ecosystem structure category, protected species or infrastructure type to create greater clearing areas is not consistent with reference table 1 of the code.
4. In circumstances where clearing is proposed in two or more regional ecosystems subject to differing area limits under reference table 1 (i.e. due to the regional ecosystems having differing regional ecosystem structure categories), the calculation of the area limit under reference table 1 must include the area of any clearing under the other regional ecosystem/s with the lesser area limit under reference table 1. For example, where clearing will include clearing in a mid-dense regional ecosystem of 0.4 hectares, the maximum area that can then be cleared in the sparse regional ecosystem would be 1.6 hectares given the maximum area limit for a sparse regional ecosystem under reference table 1 must not exceed 2 hectares in area and must consider total clearing in regional ecosystems combined for the entire development (i.e. must include the 0.4 hectares in area for the mid-dense regional ecosystem).

Table 3 below demonstrates how the area limits for total combined clearing is calculated when the development clearing footprint involves regional ecosystems with differing regional ecosystem structure categories to ensure compliance with the code:

**Table 3**

<b>Regional ecosystem structure category</b>	<b>Area limit (hectares) under reference table 1 of the code</b>	<b>To ensure compliance with reference table 1 of the code the proposed development must be able to met <u>all</u> of the following:</b>
Dense	0.5 hectares	Total clearing for all dense regional ecosystems and mid-dense regional

<sup>26</sup> See section 22(3)(d) of the Planning Regulation 2017.

Mid-dense	0.5 hectares	ecosystems combined must not exceed 0.5 hectares for the entire development.  AND
Sparse	2 hectares	Total clearing for all dense regional ecosystems, mid-dense regional ecosystems, sparse regional ecosystems and very sparse regional ecosystems combined must not exceed 2 hectares for the entire development.  AND
Very Sparse	2 hectares	
Grassland	5 hectares	Total clearing for all dense regional ecosystems, mid-dense regional ecosystems, sparse regional ecosystems, very sparse regional ecosystems and grassland regional ecosystems combined must not exceed 5 hectares for the entire development.

# Appendix 15: Measuring tree height and measuring slope

## Measuring tree height

There are several methods you can use to measure the height of trees.

### Using specialist tools

The clinometer is a tool commonly used by foresters to measure tree heights and slope angles. If you have a clinometer, please follow the manufacturer's instructions for use.

There are also many videos online that show how to make and use a simple clinometer, using a protractor, some string and a small weight.

The heights of the crown can also be measured using a laser instrument called a hypsometer. If the top of the tree is not directly above the base of the trunk, it is important to also measure the point directly below the highest point of the tree canopy to get an accurate crown height.

### Pencil (or stick) method

This is a very simple method requiring only a pencil (or small straight stick) and a tape measure. Take a pencil (or small stick) and move several metres or more away from the tree (refer to Figure 6).

Outstretch your arm and hold the pencil so that you can measure the height of the tree on the pencil (e.g. line up the top of the pencil with the top of the tree and slide your thumb along the stick to correspond with the base of the tree). You may also need to move closer or further away from the tree to allow a length of the pencil to align with the height of the tree.

Keeping your thumb in the same position and lined up with the base of the tree (and your arm still outstretched), turn the pencil at the base of the tree by 90°. Note the location on the ground that lines up with the top of the pencil. Mark or note this point on the ground and then measure the distance from this point to the base of the tree. This is the height of the tree.





Figure 6: The pencil method



### Stick and shadow method

For this method you will need to see the tree's shadow on the ground. You will also need a tape measure, a calculator and a stake of any height to hammer into the ground. Refer to Figure 7.



**Figure 7: Stick and shadow method**

1. Hammer a stake vertically into the ground so you can see its shadow. Record the height of the stake above ground ( $H$ ) and the length of the stake's shadow ( $S$ ) from the base of the stake.
2. Measure the length of the tree's shadow from the centre of the base of the tree ( $L$ ).
3. Ensure that both shadow measurements are taken within a few minutes of each other, using the same units (e.g. metres).
4. The tree's height may be estimated using simple proportions:

$$\text{Height of tree} = \frac{\text{Height of stake above ground (H)}}{\text{Length of stake's shadow (S)}} \times \text{Length of tree shadow (L)}$$

## Stick method 2

You can measure the height of trees by projecting a right-angled triangle (one that includes a  $90^\circ$  angle) using your arm, a stick and your line of sight (refer to Figure 8).

1. Find a straight stick or length of dowel about 750 mm long. Holding the stick upright in your outstretched hand and in front and level with your eye, measure the horizontal distance from your eye to the stick. Mark the same distance on the stick.
2. Grasp the stick at the mark and hold it out in front of you with your arm fully extended and at eye level. The stick must be held vertically pointing upwards. (The distance from your eye to the base of the stick should equal the length of the stick above your hand.)




Figure 8: Diagrammatic representation of stick method 2

3. Walk toward or away from the tree until the tip of the stick is visually lined up with the top of the tree. It's often easiest to walk along the contour so the mark on the stick remains lined up with a point on the tree the same height as your eye. When sighting the top and bottom of the stick, move your eyes rather than your head.
4. The height of the tree will be the distance from your eye to the tree trunk (measure this distance with a measuring tape) plus the height of your eye above the ground.

$$\text{Height of tree} = \text{distance A to B} - \text{eye height}$$

5. If no long-distance measuring device is available, calibrate your step (the walking distance between your two feet) or pace (walking distance for two steps) over a known distance (e.g. 20 metres). Then measure the distance from A to B in paces or steps and convert to metres.

## Smartphone apps

Various smartphone apps are available that claim to help measure tree height. Care should be taken if using these because:

- the accuracy may depend on the quality of your phone (and may require some manual calibration)
- some apps still require subsequent trigonometric calculations
- the reliability and accuracy of the app may not be proven.

If such apps are used, it is recommended to first verify the results with other methods before using the apps operationally.


## Measuring slope

### Definition

For the purposes of the code, slope is measured in percentages, and is defined as the change in vertical height relative to the change in horizontal distance multiplied by 100.

$$\text{Slope (\%)} = \frac{\text{Vertical distance}}{\text{Horizontal distance}} \times 100$$

For example, for this illustrated slope from A to B:



$$\text{Slope (\%)} = \frac{1}{20} \times 100 = 5\%$$

The location of points A and B should be selected so the line between them is representative of the slope in question. For example, don't choose high or low spots in the landscape for these points.

### Using a clinometer

The Suunto clinometer (clino) is a tool commonly used by foresters to measure tree heights and slope angles. There are many types of clinometers that are relatively inexpensive. If you can have access to one, ensure it has a scale to measure percentage slope.

Using a clinometer is one of the most accurate methods of measuring slope—differences in vertical height and horizontal distances may be measured accurately in order to calculate the slope. The exact measuring method will depend on the equipment used; please follow the manufacturer's instructions.



Figure 9: Surveyor's level

### Homemade clinometer

You can also make your own clinometer using a large protractor with a hole drilled (as shown in Figure 10), string and a small weight.

Attach the string through the drilled hole and tie the small weight to the other end of the string. When the flat edge of the protractor is held horizontally, the string should hang down vertically and indicate 90° on the protractor.

To measure a slope, look along the flat edge of the protractor and line it up with a point in the distance (up or down slope) that is the same height above the ground as your eye. The aim is for the flat edge of the protractor to be parallel to the slope you are measuring.

Using the location of the string against the protractor's scale, read off the angle observed—that is, the angle between the 90° line on the protractor and the location of the string.

This angle is in degrees and needs to be converted to a percentage. To do this, use a scientific calculator to find the 'tan' of this number and then multiply by 100. For example, if you measured 3°, then:

$$\tan (3^{\circ}) \times 100 = 5.2\% \text{ slope}$$

### Using a line level

You will need string, two stakes, a line level and a measuring tape.

Hammer one stake into the ground on the upper side of the slope. Tie a long piece of string (e.g. 10 metres) to the base of the stake and lay the string out directly down the slope.

Walk down to near the end of the string. Hammer the second stake vertically into the ground and pull the string tight to the base of the second stake. Ensure both stakes are in locations that are representative of the overall slope. Raise the string up the second stake until it is perfectly horizontal, as indicated by using the line level along the top of the string.





Figure 10: Home-made clinometer and its use in the field



**Figure 11: Using a line level to measure slope**

Measure the second stake between the string and the ground. This is the vertical distance for the slope calculation. Keep the string tight and measure the length of string between each stake. This is the horizontal distance for the slope calculation.

Use these two distances to calculate slope as shown in Figure 11.

### Topographic map

Topographic maps show contour lines that join points of equal elevation. Contour lines that are spaced evenly apart indicate a fairly uniform slope. If ground observations confirm a uniform slope, you can calculate the slope by determining vertical height from adjacent contour lines and the horizontal distance from the scale bar of the map.

For example, if the contour interval is 10 metres, this is the vertical height for the slope calculation. If the horizontal distance between the contour lines is 400 metres (using the scale bar on the map), the slope will be  $(10 \div 400) \times 100 = 2.5\%$ .

Care should be taken to ensure you locate yourself accurately on the map and that the land between the contour lines is of uniform slope. If not, other more reliable methods should be used.

### Smartphone apps

Various smartphone apps are available that claim to measure slope. Care should be taken if using these because the:

- accuracy may depend on the quality of your phone's components
- reliability and accuracy of the app may not be proven.

If such apps are used, it is recommended to first verify their results with other methods before using the apps operationally.