

Notice

Nature Conservation Act 1992

Section 75 of Nature Conservation (Macropod) Conservation Plan 2017

Notice for requirements about attaching a Queensland macropod tag

This notice is issued by the administering authority for the requirements about attaching Queensland macropod tags to macropods taken under a Macropod Harvesting Licence.

This notice states for section 75 of Nature Conservation (Macropod) Conservation Plan 2017, the requirements about attaching Queensland macropod tags to macropods taken under a Macropod Harvesting Licence.

Under Section 75 of Nature Conservation (Macropod) Conservation Plan 2017 the chief executive must publish, on the department's website, a notice stating the way a Queensland macropod tag must be attached to a macropod. A Queensland macropod tag must be attached to a macropod in the way stated in the notice.

If the Queensland macropod tag is attached to a macropod taken for both its meat and skin, the tag must be attached in a way that ensures the skin of the macropod may be removed without removing the Queensland macropod tag from the skin.

The Queensland macropod tag must be attached in a way that it cannot be removed without destroying the tag or cutting the skin.

For personal use:

For a skin, as below. For meat only, in one ear, to be kept with the meat until after the meat is used. Then destroy the ear and tag.

Queensland macropod tag means a tag supplied or approved by the chief executive for attaching to a macropod.

Way Queensland macropod tag must be attached

STEP 1 Separate tags along perforations



STEP 2 Cut a slit in the carcass skin that is minimal 20 mm wide

*If the slit is too close to the edge of the skin the tag can come off when the skin is removed by a mechanical skinner

Pass the tag through the slit, adhesive end first and facing towards you.

Pass the adhesive end through the slit and bring the tag back on itself.



STEP 3 Remove the adhesive cover after you have threaded the tag.

*Ensure your hands and application area are dry.



STEP 4 Make a loop loose enough to enable the tag to spin on the slit when sealed

Apply the exposed adhesive to the tag where it hasn't been through the skin.

Add pressure to this area for 10 seconds



STEP 5 Tags will have QR Code and tag details clearly displayed

