Erosion Prone Area Northern Peninsular Area Region Local Government Area

Erosion Prone Area Definition

- 1. Erosion prone areas are deemed to exist over all tidal water to the extent of Queensland Coastal Waters and on all land adjacent to tidal water.
- 2. Erosion prone areas include areas subject to inundation by the highest astronomical tides (HAT) by the year 2100 or at risk from sea erosion.
- 3. On land adjacent to tidal water the landward boundary of the erosion prone area shall be defined by whichever of the following methods gives the greater erosion prone area width:
 - a. a line measured 40 metres landward of the plan position of the present day HAT level except where approved revetments exist in which case the line is measured 10 metres landward of the upper seaward edge of the revetment, irrespective of the presence of outcropping bedrock;
 - b. a line located by the linear distance shown on Table 1 and measured, unless specified otherwise, inland from:
 - i. the seaward toe of the frontal dune (the seaward toe of the frontal dune is normally approximated by the seaward limit of terrestrial vegetation or, where this cannot be determined, the level of present day HAT); or
 - ii. a straight line drawn across the mouth of a waterway between the alignment of the seaward toe of the frontal dune on either side of the mouth
 - c. the plan position of the level of HAT plus 0.8 m vertical elevation.

Except:

- i. where the linear distance specified in 3b is less than 40 metres, in which case section 3a. does not apply and the erosion prone area width will be the greater of 3b and 3c; or
- ii. where outcropping bedrock is present and no approved revetments exist, in which case the line is defined as being coincident with the most seaward bedrock outcrop at the plan position of present day HAT plus 0.8m; or
- iii. in approved canals in which case the line of present day HAT applies, irrespective of the presence of approved revetments or outcropping bedrock.
- 4. Erosion prone areas defined in accordance with the above are deemed to exist throughout all the local government areas, irrespective of whether the entire local government area is depicted on erosion prone area plans for the area.


Notes to clarify the definition


- 1. The specific location along the coast to which each erosion prone area linear distance applies (a segment) is shown in Table 1.
- 2. A map indicating the approximate location along the coast of each linear distance segment is attached.
- 3. Each erosion prone area segment is located on the coastline between 2 points defined by latitude and longitude. A projection of each point to the nearest actual coastline and continuing inland perpendicular to the coast defines the erosion prone area segment.
- 4. "Present day HAT" in the definition is always taken to be the present day level of HAT for the coastline as defined in the Queensland Tide Tables for that year or as defined by empirical methodology at the site.
- 5. The extent of the erosion prone area where it is defined by "HAT plus 0.8m" is the HAT coastline at the year 2100 and includes sea level rise to that time. It is determined by the area of land inundated to the level HAT of the nearest adjacent open coast or river tide gauge plus 0.8m vertical elevation. Site based HAT is not to be used as present day attenuation of inland HAT level due to flow constraints may not persist to 2100 with coastline response to sea level rise. For further explanation see the Coastal Hazard Technical Guide.
- 6. Where noted on Table 1 (and the map) the specified linear distance applies except where a revetment has been constructed and maintained to the approved design in which case the landward boundary of the erosion prone area is at the upper seaward edge of the revetment (A-line).
- 7. The approximate erosion prone area footprint is shown on Coastal Hazard Area Maps available on the Department of Environment and Heritage Protection website at www.ehp.qld.gov.au. These footprints are indicative only and the definition in this plan prevails for any inconsistency between the two.
- 8. This erosion prone area plan may be updated from time to time and a new revision created. Please check with the Department of Environment and Heritage Protection or the local government that this copy is the current version prior to using the contained information in any way.


Date of Erosion Prone Area Declaration: 3 February 2016	Plan No:
Date of Erosion Prone Area Amendment:	NPA3B


NPA3B Table 1: Linear distances for the erosion prone area and the specific location of each segment

Erosion prone area	Segment start	Segment start	Segment end	Segment end	Erosion prone area
segment	longitude	latitude	longitude	latitude	(Width in metres)
number	(degrees)	(degrees)	(degrees)	(degrees)	,
NPA001	142.52032	-10.84387	142.54236	-10.84115	400m
NPA001a	142.54236	-10.84115	142.56919	-10.79437	125m
NPA002	142.56919	-10.79437	142.57331	-10.79426	80m Possible Bedrock
NPA003	142.57331	-10.79426	142.57929	-10.79446	0m
NPA004	142.57929	-10.79446	142.58322	-10.78431	110m
NPA005	142.58322	-10.78431	142.58739	-10.77959	0m
NPA006	142.58739	-10.77959	142.59212	-10.76938	110m
NPA007	142.59212	-10.76938	142.59729	-10.76291	0m
NPA008	142.59729	-10.76291	142.60332	-10.75227	110m
NPA009	142.60332	-10.75227	142.59392	-10.74270	0m
NPA010	142.59392	-10.74270	142.59283	-10.73994	110m
NPA011	142.59283	-10.73994	142.58604	-10.73420	0m
NPA012	142.58604	-10.73420	142.58277	-10.73119	400m
NPA013	142.58277	-10.73119	142.57622	-10.73213	0m
NPA014	142.57622	-10.73213	142.56995	-10.72910	400m
NPA015	142.56995	-10.72910	142.56212	-10.72830	0m
NPA016	142.56212	-10.72830	142.55483	-10.71946	80m Possible Bedrock
NPA017	142.42352	-10.72733	142.42538	-10.73085	110m
NPA018	142.42538	-10.73085	142.41236	-10.77876	400m
NPA019	142.40591	-10.79388	142.40409	-10.79773	70m Possible Bedrock
NPA020	142.40409	-10.79773	142.40292	-10.79908	0m
NPA021	142.40292	-10.79908	142.39989	-10.80210	400m
NPA022	142.39989	-10.80210	142.32126	-10.90608	125m
NPA023	142.32126	-10.90608	142.31833	-10.90405	400m
NPA024	142.31833	-10.90405	142.21902	-10.92243	125m









Disclaimer

Whilst every care is taken to ensure the accuracy of this product, the Department of Environment and Heritage Protection makes no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and disclaims all responsibility and all liability (including without limitation, liability in negligence) for all expenses, losses, damages (including indirect or consequential damage) and costs which you may incur as a result of the product being inaccurate or incomplete in any way and for any

Erosion Prone Area segment start/stop location

✓ Roads

Queensland coast

Cadastral boundaries

0 0.5 1 2 3

Kilometres



